FASCICULUS PLANTARUM CIRCA HAREFIELD

Sponte Naſcentium.

CUM

APPENDICE,

AD

LOCI

Hiſtoriam ſpectante.

——— *Et rei herbariæ, quâ nulla utilior videtur eſſe doctrina, quæ ſcilicet & alimenta ſanis corporibus, & ægris medicinam, ac pleriſque artibus auxilia præſtat, animumque mirâ voluptate perfundit.*

Michel. Dedicat. ad Nov. Plantar. Genera.

LONDINI:

Typis HENRICI WOODFALL, Junioris.

M.DCC.XXXVII.

Jos: Banks

Clariſſimo Doctiſſimoque Viro

Dno Hansio Sloane, Baronetto.

ARCHIATRO

ET

Regiæ Societatis Præsidi,

BOTANICES

Nec non totius Hiſtoriæ Naturalis
Principi.

Hunc Fasciculum humillimo, gratiſſimoque animo, dat, dicat, dedicatque.

J. Blackstone.

Clarissimo Doctissimoque Viro

D^no HANSIO SLOANE, BARONETTO.

ARCHIATRO

E

Regiæ Societatis PRÆSIDI

BOTANICES

Nec non totius Historiæ Naturalis
PRINCIPI.

Hunc FASCICULUM humillimo,
gratissimoque animo, ut dicat,
dedicatque.

J. BLACKSTONE.

PRÆFATIO.

PLANTÆ *hujus Insulæ indigenæ a tot superioris sæculi eximiis Botanicis observatæ fuerunt, ut aliquid nunc temporis Reipublicæ Botanicæ offerre, prorsus inutile videatur. Quoniam autem regiones diversæ plantas sibi proprias proferunt, hunc Tractatum in lucem emisi ad stirpes quasdam peculiares illustrandas, quarum permaxima pars circa* Harefield *collecta est, additis aliis quæ vel amicorum munere, vel itinere ad locos memoratos suscepto, occurrebant.*

Studii Botanici utilitas omnibus, (Medicinæ Cultoribus præsertim) manifesta est, & non dubito quin scientia hæc utilissima brevi spatio ad summum gradum evehatur.

Quod ad Methodum attinet, alphabeticè plantas disposui; Tyrones enim quos studium

dium Botanicum delectat, facilius per hanc methodum discere possint, quam si Plantæ Synopticè digestæ fuissent.

Magni sanè erit momenti si Juvenes plantas sibi proximè natas observare vellent, tunc enim spes esset ut Historia Plantarum Generalis hujus Insulæ reddatur absoluta, cujus utilitas benè cognita est.

Hoc Specimen, ut Philo-Botanicis placeat, precor, nil enim nisi studii utilitas ad hoc suscipiendum me induxit, errata itaque leviora ignoscere dignetur Lector.

EX-

EXPLICATIO
Nominum Abbreviatorium.

B. Pin. Caſpari Bauhini Pinax Prodr. Ejuſdem. *Baſil* 1671. 4to.

Chabr. Dominici Chabræi Stirpium Icones & Sciagraphia. *Genevæ* 1678. Fol.

Cat. Giſſens. Johannis Jacobi Dillenii Catalogus Plantarum circa Giſſam naſcentium. *Giſſæ* 1719. 8vo.

Ger. Em. Gerardi Hiſtoria Plantarum a Thoma Johnſon Emaculata & Aucta. *Lond.* 1636. Fol.

H. Oxon. Hiſtoria Plantarum Oxonienſis. *Oxonii* 1680. Fol.

J. R. H. Joſephi Pitton Tournefortii Inſtitutiones Rei Herbariæ. *Pariſiis* 1700. 4to.

Lobel. Adverſ. Matthiæ Lobelii Obſervationes & Adverſaria. *Londini* 1605. Fol.

Merr.

Merr. Pin. Chriſtophori Merret Pinax Rerum Naturalium Britannicarum. *Lond.* 1667. 8vo.

Park. Joannis Parkinſoni Theatrum Botanicum. *Lond.* 1640. Fol.

Petiv. H. B. Jacobi Petiver Herbarium Britannicum. *Lond.* Fol.

Plukenet. Phyt. Leonardi Plukenetii Phytographia. *Lond.* 1691. Fol.

Raii Cat. Angl. Joannis Raii Catalogus Plantarum Angliæ, &c. *Lond.* 1677. 8vo. Item Hiſtor. *Ibid.* 1686. Fol.

Raii Meth. Em. Joannis Raii Methodus Plantarum Emendata & Aucta. *Amſtelæd.* 1703. 8vo.

Raii Syn. Joannis Raii Synopſis Methodica Stirpium Britannicarum. *Lond.* 1696 & 1724. 8vo.

Scheuchzer. Agroſt. Joannis Jacobi Scheuchzeri Agroſtographia. *Tiguri*, 1719. 4to.

A.

ABSINTHIUM VULGARE LATIFOLIUM SIVE PONTICUM. *Ger. Em.* 1096. Ponticum, ſeu Romanum Officinarum ſeu Dioſcoridis. *C. B. Pin.* 138. *Common broad-leav'd Wormwood.* In locis incultis frequens, *as about* Moor-Hall *plentifully, and elſewhere.* Junio floret.

ACER MINUS. *Ger. Em.* 1484. Campeſtre & minus. *C. B. Pin.* 431. *The Common Maple.* In ſepibus paſſim. Aprili floret.

ACETOSA PRATENSIS. *C. B. Pin.* 114. Oxalis ſive Acetoſa. *Ger. Em.* 396. *Common Sorrel.* In pratis & paſcuis copioſe. Maio floret.

ACETOSA

ACETOSA ARVENSIS LANCEOLATA. *C. B. Pin.* 114. Oxalis tenuifolia. *Ger. Em.* 397. *Sheeps Sorrel.* In ſiccioribus & ad vias paſſim. Per totam ferè æſtatem floret.

ACORUS VERUS, OFFICINIS FALSÒ CALAMUS. *Ger. Em.* 62. Verus, ſive Calamus Aromaticus Officinarum. *C. B. Pin.* 34. *True Acorus, or Sweet-ſmelling Flag. In the Ponds near* Harefield Church *plentifully.* Maio Julum profert.

ADIANTHUM ALBUM SIVE SALVIA VITÆ. *Ger. Em.* 1144. Ruta Muraria. *C. B. Pin.* 356. *White Maidenhair, Wall Rue, or Tent-wort. On* Pinner-Church *near* Harrow on the Hill *abundantly.*

ADIANTHUM AUREUM MAJUS. *Ger. Em.* 1559. Polytrichum aureum majus. *C. B. Pin.* 356. *Great Goldilocks. Common in boggy Places.*

ADIANTHUM NIGRUM VULGARE. *Park.* 1049. Foliis longioribus pulverulentis pediculo nigro. *C. B. Pin.* 355. Onopteris mas. *Ger. Em.* 1137. *Common Black Maidenhair.* In opacis & ad arborum

rum radices. *In the Lane going from* Harefield *to* Rickmanſworth *abundantly.*

AGRIFOLIUM, *Ger. Em.* 1338. Ilex V. aculeata buccifera folio ſinuato. *C. B. Pin.* 425. *The Holly-Tree.* In ſepibus frequens. Junio floret.

AGRIMONIA. *Ger. Em.* 712. Eupatorium veterum ſive Agrimonia. *C. B. Pin.* 321. *Agrimony.* In paſcuis & ad ſepes frequens. Junio floret.

ALCEA VULGARIS MAJOR. *C. B. Pin.* 316. Malva verbenacea. *Ger. Em.* 931. *Vervain Mallow.* In pratis ſed non valdè frequens. Junio & Julio floret.

ALLIARIA. *Ger. Em.* 794. *C. B. Pin.* 110. Heſperis Allium redolens. *J. R. H.* 222. *Sauce alone, or Jack by the Hedge.* In ſepibus & foſſarum aggeribus paſſim. Aprili & Maio floret.

ALLIUM SYLVESTRE LATIFOLIUM. *C. B. Pin.* 74. Urſinum. *Ger. Em.* 179. *Ramſons.* In paluſtribus, *as in a Meadow near* Gulch Well *plentifully.* Aprili floret.

ALNUS. *Ger. Em.* 1477. rotundifolia glutinoſa

glutinosa viridis. *C. B. Pin.* 428. *The common Alder-Tree.* In aquosis passim.

ALNUS NIGRA SIVE FRANGULA. *Ger. Em.* 1470. nigra baccifera. *C. B. Pin.* 428. *The Black-berry-bearing Alder.* In sylvis sed rarius. *In* White-Heath Wood *on* Harefield-Common *plentifully.* Vere floret.

ALSINE AQUATICA MAJOR. *C. B. Pin.* 251. Palustris. *Ger. Em.* 613. *Great Marsh Chickweed.* In paluſtribus & ad fluviorum ripas. Æstate floret.

ALSINE HIRSUTA MAGNO FLORE. *C. B. Pin.* 251. Alsine Myosotis procerior & longiore folio. *Merr. Pin.* 6 *Narrow leav'd Mouse-Ear Chickweed.* In sterilioribus frequens. Aprili floret.

ALSINE HIRSUTA MYOSOTIS LATIFOLIA PRÆCOCIOR. *Raii Cat. Angl.* 16. hirsuta altera viscosa. *C. B. Pin.* 251. *The broader leav'd Mouse-Ear Chickweed.* Cum priore nec minus frequens.

ALSINE AQUATICA MEDIA. *C. B. Pin.* 258. fontana. *Ger. Em.* 613. *Long leav'd Water Chickweed.* In uliginosis sed serius Julio floret.

ALSINE

ALSINE MEDIA. *C. B. Pin.* 250. Minor ſive media. *Ger. Em.* 611. *Middle Chickweed.* Per totum ferè annum floret in hortis & areis ubique.

ALSINE MINOR MULTICAULIS. *C. B. Pin.* 250. Minima. *Ger. Em.* 612. *The leaſt Chickweed.* Muris plerumque innaſcitur, Æſtate florens.

ALSINE PARVA PALUSTRIS TRICOCCOS PORTULACÆ AQUATICÆ SIMILIS. *Raii Syn. Ed.* III. 352. Alſineformis paluſtris tricarpos floſculis albis inapertis. *Plukenet Phyt.* Tab. 7. Fig. 5. *Small Water Chickweed, or Purſlane, by ſome called Blinks.* In paluſtribus. *On* Harefield-Common *plentifully.* Aprili floret.

ALSINE PLANTAGINIS FOLIO. *J. B. Raii Syn. Ed.* III. 349. *Plantain-leav'd Chickweed.* Ad ſepes præſertim locis uliginoſis. Maio floret.

ALSINE ROTUNDIFOLIA SEU PORTULACA AQUATICA. *Ger. Em.* 614. Paluſtris minor folio oblongo. *C. B. Pin.* 251. *Prod.* 118. *Water Purſlane.* In paluſtribus & aquoſis frequens. Autumno floret.

ANAGALLIS MAS. *Ger. Em.* 617. phœniceo flore. *C. B. Pin.* 252. *Male Pimpernel.* In hortis & inter ſegetes. Maio floret.

ANAGALLIS LUTEA. *Ger. Em.* 618. lutea nemorum. *C. B. Pin.* 252. *Yellow Pimpernel.* In ſylvis humidis & umbroſis. *In* Scarlet-Spring, *abundantly.* Maio floret.

ANEMONE NEMORUM, FLORE ALBO ET PURPURASCENTE. *Ger. Em.* 383. nemoroſa flore majore. *C. B. Pin.* 176. *Wood Anemony.* In ſylvis paſſim. Aprili floret.

ANGELICA SYLVESTRIS MAJOR. *C. B. Pin.* 155. ſylveſtris. *Ger. Em.* 999. *Wild Angelica.* In aquoſis frequens occurrit, *as on the Banks of* Harefield River *and elſewhere.* Junio floret.

ANGELICA SYLVESTRIS MINOR SIVE ERRATICA. *C. B. Pin.* 155. Herba Gerardi. *Ger. Em.* 1001. *Herb Gerard Gout-Wort, or Aſh-Weed.* Hortorum peſtis eſt, Æſtate florens.

ANONIS SPINOSA FLORE PURPUREO. *C. B. Pin.* 389. Anonis ſive Reſta Bovis. *Ger.*

Ger. Em. 1322. *Reſt-harrow, Cammock, or Petty-Whin.* In ſterilioribus, *as in the Lane near* Harefield-Mill. Julio & Auguſto floret. Variat flore albo.

ANONIS NON SPINOSA PURPUREA. *Ger. Em.* 1322. ſpinis carens purpurea. *C. B. Pin.* 389. *Purple Reſt-harrow without Prickles.* Cum priore. Tetri odoris eſt hæc planta.

APARINE VULGARIS. *C. B. Pin.* 334. *Ger. Em.* 1122. *Gooſe-Graſs, or Clivers.* In ſepibus paſſim. Æſtate floret.

AQUILEGIA SYLVESTRIS *C. B. Pin.* 144. flore cæruleo. *Ger. Em.* 1093. *Columbines.* In ſylvis & dumetis, ſed rariùs circa *Harefield* reperitur. Junio floret.

ARTEMISIA VULGARIS MAJOR. *C. B. Pin.* 137. Artemiſia, ſive Mater Herbarum. *Ger. Em.* 1103. *Mugwort.* Ad vias & agrorum margines frequens. Junio floret.

ARUM VULGARE. *Ger. Em.* 834. maculatum maculis nigris vel candidis, &

non maculatum. *C. B. Pin.* 195. *Wake-Robin or Cuckow-Pint.* Ad sepes passim. Primo Vere pistillum promit.

ARUNDO VALLATORIA. *Ger. Em.* 36. Harundo vulgaris sive vallatoria. *Park.* 1208. *The common Reed.* In aquosis & ad fluviorum ripas frequentissimè.

ASPERULA. *Ger. Em.* 1124. seu Rubeola montana odora. *C. B. Pin.* 334. *Woodroof.* In sylvis passim & copiosè. Aprili floret.

ASTRAGALUS SYLVATICUS. *Ger. Em.* 1237. sylvat. foliis oblongis glabris. *C. B. Pin.* 351. *Wood-Peafe, or Heath-Peafe.* Insylvis passim. Aprili floret.

ATRIPLEX SYLVESTRIS ANGUSTIFOLIA. *Ger. Em.* 326. angusto oblongo folio. *C. B. Pin.* 119. *Narrow-leav'd wild Orache.* In fimetis & locis ruderatis. Junio & Julio floret.

ATRIPLEX OLIDA. *Ger. Em.* 327. fœtida. *C. B. Pin.* 119. *Stinking Orache.* In locis incultis & ruderatis non tamen admodum frequens. Junio & Julio floret.

B.

BACCHARIS MONSPELIENSIUM. *Ger. Em.* 792. Conyza major vulgaris. *C. B. Pin.* 265. *Plowman's Spikenard.* In cretaceis, *as in the Old Chalk Pit near* Harefield-Mill *plentifully.* Julio floret.

BARBAREA. *Ger. Em.* 243. Eruca lutea latifolia, sive Barbarea. *C. B. Pin.* 98. *Winter-Cresses.* In aquosis frequens. Maio floret.

BARDANA MAJOR. *Ger. Em.* 809. Lappa major Arcium Dioscoridis. *C. B. Pin.* 198. *Great Burdock.* Passim ad vias & sepes. Julio & Augusto floret.

BARDANA MAJOR ALTERA. *Ger. Em.* 810. Lappa major montana, capitulis tomentosis, sive Arctium Dioscoridis. *C. B. Pin.* 198. *Woolly-headed Burdock.* Ad vias & in locis ruderatis, sed minùs frequens.

BELLIS MAJOR. *Ger. Em.* 634. sylvestris caule folioso major. *C. B. Pin.*

261. *The great Daisy, or Ox-Eye.* In pratis & pascuis ubique. Maio floret.

Bellis Sylvestris Minor. *C. B. Pin.* 261. minor sylvestris. *Ger. Em.* 636. *The lesser Daisy.* In pascuis passim. Per totum ferè annum floret.

Betonica Purpurea. *C. B. Pin.* 235. *Ger. Em.* 714. *Betony.* In sylvis copiosè. Junio & Julio floret.

Betula. *Ger. Em.* 1478. *C. B. Pin.* 427. *The Birch Tree.* In sylvis passim.

Betulus sive Carpinus. *Ger. Em.* 1479. Ostrya Ulmo similis fructu in umbilicis foliaceis. *C. B. Pin.* 427. *The Horn Beam Tree. Frequent in the Woods.*

Bifolium Sylvestre Vulgare. *Park.* 504. Ophris bifolia. *C. B. Pin.* 87. *Common Tway-blade.* In sylvis & pratis humidis. *In* White-Heath-Wood, *and* Scarlet-Spring *near* Harefield *abundantly, also in the Meadows near the River.* Maio floret.

Bistorta Major. *Ger. Em.* 399. major radice minùs intortâ. *C. B. Pin.* 192.

192. *Great Biſtort, or Snake-weed.* In paluſtribus, *as in the Meadows near* Uxbridge, *and about* Rickmanſworth *by the River's Side.* Aprili floret.

BLATTARIA PLINII. *Ger. Em.* 776. lutea folio longo laciniato. *C. B. Pin.* 240. *Yellow Moth-Mullein.* In Angliâ rariùs occurrit. *I found it this Year (1735) in a chalky Field near* Harefield-Mill, *but not plentifully.* Julio floret.

BLITUM POLYSPERMON. *C. B. Pin.* 118. *Park.* 753. *Upright Blite, or All-Seed.* In arvis pinguioribus & inter olera frequens reperitur. Æſtate floret.

BONUS HENRICUS. *Ger. Em.* 329. Lapathum unctuoſum, folio triangulo. *C. B. Pin.* 115. *Engliſh Mercury, or All-Good.* In locis incultis non rarò occurrit. Aprili & Maio floret.

BRYONIA ALBA. *Ger. Em.* 869. aſpera ſive alba baccis rubris. *C. B. Pin.* 297. *White Briony.* Ad ſepes paſſim. Maio floret.

BRYONIA NIGRA. *Ger. Em.* 871. lævis,

lævis, sive nigra racemosa. *C. B. Pin.* 297. *Black Briony.* Cum priore.

Buglossa Sylvestris Minor. *Ger. Em.* 799. Bugloſſum ſylveſtre minus. *C. B. Pin.* 256. *Small wild Bugloſs.* In arvis requietis. Junio floret.

Bugula. *Ger. Em.* 631. Conſolida media pratenſis cærulea. *C. B. Pin.* 260. *Bugle.* In pratis humidis & ſylvis paſſim. Aprili & Maio floret. Variat flore albo.

Bulbocastanum Minus. *Ger. Em.* 1064. *C. B. Pin.* 162. *Earth-Nut, or Kipper-Nut.* In paſcuis frequens. Maio floret.

Bursa Pastoris. *Ger. Em.* 276. major folio ſinuato. *C. B. Pin.* 108. *Shepherd's Purſe.* Ad vias & ſemitas paſſim. Per totam Æſtatem floret.

Buxus. *Ger. Em.* 1410. arboreſcens. *C. B. Pin.* 471. *The Box-Tree.* In ſylvis ſed rariùs. Vere floret.

C.

C.

CALAMINTHA ODORE PULEGII. *Ger. Em.* 687. Pulegii odore sive Nepeta. *C. B. Pin.* 228. *Field Calamint.* Ad vias & semitas. *By the Road Side leading from* Harefield *to* Chalfont St. Peters *plentifully.* Julio & Augusto floret.

CALAMINTHA VULGARIS. *Ger. Em.* 687. vulgaris, vel Officinarum Germaniæ. *C. B. Pin.* 228. *Common Calamint.* Ad vias publicas, *as in* Harefield-street *going to the River, but not very plentifully.* Æstate floret.

CALTHA PALUSTRIS MAJOR. *Ger. Em.* 617. palustris flore simplici. *C. B. Pin.* 276. *Marsh Marigold.* In palustribus & pratis humidis passim. Maio floret. Invenitur flore pleno sed rariùs.

CAMPANULA ROTUNDIFOLIA. *Ger. Em.* 452. minor rotundifolia vulgaris. *C. B. Pin.* 93. *Round-leav'd Bell-Flower. On* Harefield-Common *plentifully.* Augusto floret. Variat flore albo.

CAR-

CARDAMINE. *Ger. Em.* 259. Naſturtium pratenſe magno flore. *C. B. Pin.* 104. *Ladies-Smock, or Cuckow-Flower.* In paluſtribus copioſe. Martio & Aprili floret.

CARDAMINE FLORE MAJORE ELATIOR. *J. R. H.* 224. Naſturtium aquaticum majus & amarum. *C. B. Pin.* 104. *Bitter Creſſes. By the River's Side near* Harefield, *alſo about* Uxbridge *plentifully.* Aprili & Maio floret.

CARDAMINE IMPATIENS ALTERA HIRSUTIOR. *Raii Syn. Ed.* III. 300. Naſturtium aquaticum minus. *C. B. Pin.* 104. *The leſſer hairy impatient Ladies Smock. In the Brook in* Scarlet-Spring, *and in* Gutter's-Dean Wood *near* Harefield *plentifully.* Aprili floret.

CARDUUS TOMENTOSUS, ACANTHIUM DICTUS VULGARIS. *Raii Syn. Ed.* III. 196. Acanthium album. *Ger. Em.* 1149. *Common Cotton Thiſtle.* In incultis paſſim. Julio floret.

CARDUUS LANCEATUS. *Ger. Em.* 1174. lanceatus latifolius. *C. B. Pin.* 385. *Spear*

Spear-Thistle. In incultis passim. Autumno floret.

CARDUUS MARIÆ. *Ger. Em.* 1150. Carduus albis maculis notatus vulgaris. *C. B. Pin.* 381. *Ladies Thistle.* Ad agrorum margines frequens. Autumno floret.

CARDUUS MOSCHATUS. *Pet. H. B.* 21. 1. Cirsium majus singulari capitulo magno. *C. B. Pin.* 377. *Musk Thistle with a bending Head.* In arvis requietis. Julio floret.

CARDUUS PALUSTRIS. *C. B. Pin.* 377. *Park.* 983. *Marsh Thistle.* In palustribus & pratis humidis copiosè provenit. Æstate floret.

CARDUUS POLYACANTHOS PRIMUS. *Ger. Em.* 1172. spinosissimus angustifolius vulgaris. *C. B. Pin.* 385. *Thistle upon Thistle.* Ad margines agrorum & inter vepres. Æstate floret.

CARDUUS STELLATUS. *Ger. Em* 1166. stellatus foliis papaveris erratici. *C. B. Pin.* 387. *Star-Thistle.* In locis incultis. Augusto floret.

CAR-

CARLINA SYLVESTRIS MAJOR. *Ger. Em.* 1159. Cnicus ſylveſtris ſpinoſior. *C. B. Pin.* 378. *Common Carline Thiſtle. In the* Old Chalk Pit *at* Harefield *plentifully.* Poſt mediam æſtatem floret.

CARYOPHYLLATA. *Ger. Em.* 994. vulgaris. *C. B. Pin.* 321. *Avens, or Herb Bennet.* In ſepibus paſſim. Maio floret

CATANANCE LEGUMINOSA QUORUNDAM. *J. B. Raii Syn. Ed.* III. 325. Ervum ſylveſtre. *Ger. Em.* 1249. Lathyrus ſylveſtris minor. *C. B. Pin.* 344. *Crimſon Graſs Vetch. In a Meadow near* Harefield-Church *plentifully.* Maio floret.

CAUCALIS MINOR FLOSCULIS RUBENTIBUS. *Ger. Em.* 1022. ſemine aſpero, floſculis rubentibus. *C. B. Pin.* 153. *Prod.* 80. *Hedge Parſley.* Ad ſepes & dumetis frequens. Junio floret.

CAUCALIS SEGETUM MINOR, ANTHRISCO HISPIDO SIMILIS. *Raii Hiſt.* 468. *Small Corn Parſley.* Inter ſegetes paſſim. Julio floret.

CEN-

CENTAURIUM LUTEUM PERFOLIATUM. *C. B. Pin.* 278. parvum luteum Lobelii. *Ger. Em.* 547. *Yellow Centory.* In cretaceis, *as in the* Old Chalk Pit *near the Duke of* Portland's *at* Gerard's-Cross *plentifully.* Junio floret.

CENTAURIUM MINUS. *C. B. Pin.* 278. parvum. *Ger. Em.* 547. *The lesser Centory.* In pratis montosis & sicciori-bus. Junio floret.

CERASUS SYLVESTRIS FRUCTU RUBRO. *J. B. Raii Syn. Ed.* III. 463. *The Wild Cherry-Tree.* In sylvis sed rariùs. Aprili floret.

CEREFOLIUM SYLVESTRE. *Ger. Em.* 1038. Chærophyllum sylvestre. *C. B. Pin.* 152. *Wild Chervil.* Ad sepes passim. Junio floret.

CHAMÆMELUM ROMANUM. *Ger. Em.* 755. Nobile seu Leucanthemum odoratius. *C. B. Pin.* 135. *Sweet-scented creeping Camomile. On* Harefield-Common *abundantly.* Julio & Augusto floret.

CHELIDONIUM MAJUS. *Ger. Em.* 1069. majus vulgare. *C. B. Pin.* 144. *Great Celandine.* In locis ruderatis & incultis. Maio floret.

CHELIDONIUM MINUS. *Ger. Em.* 816. Chelidonia rotundifolia minor. *C. B. Pin.* 309. *Small Celandine or Pile-wort.* In pratis humidis ubique. Primo vere floret. Invenitur flore pleno sed rariùs.

CHRYSANTHEMUM SEGETUM. *Ger. Em.* 743. Bellis lutea foliis profundè incisis major. *C. B. Pin.* 262. *Corn-Marigold.* Inter segetes passim. Junio floret.

CICUTA. *Ger. Em.* 1051. major *C. B. Pin.* 160. *Hemlock.* Plerisque locis reperitur. Julio floret.

CICUTARIA TENUIFOLIA. *Ger. Em.* 1063. Cicuta minor, Petroselino similis. *C. B. Pin.* 160. *The Lesser Hemlock or Fool's Parsley.* In hortis & inter sata passim occurrit. Julio floret.

CIRCÆA LUTETIANA. *Ger. Em.* 351. Solanifolia Circæa dicta major. *C. B.*

B. Pin. 168. *Enchanter's Nightſhade.* In ſylvis & locis umbroſis frequens. Junio & Julio floret.

CLEMATIS DAPHNOIDES MAJOR. *Ger. Em.* 894. *C. B. Pin.* 302. *Great Periwinckle. In a Meadow near* Harefield-Church. Maio floret.

CLEMATIS DAPHNOIDES MINOR. *C. B. Pin.* 301. Vinca Pervinca minor. *Ger. Em.* 894. *Periwincle. In little Grove Wood near* Breakſpears, *alſo in a Lane leading from* Uxbridge-Moor *to* Iver-Heath. Maio floret.

CLINOPODIUM MAJUS. *Park.* 22. Origano ſimile. *C. B. Pin.* 224. *Great Wild Baſil.* Ad ſepes & in dumetis copioſe. Julio floret.

CLINOPODIUM MINUS SEU VULGARE. *Park.* 21. arvenſe Ocymi facie. *C. B. Pin.* 225. *Wild Baſil.* In locis glareoſis & cretaceis, ſed minùs frequens. *In the* Old Chalk Pit *at* Gerard's Croſs *near the Duke of* Portland's *plentifully.* Junio floret.

CONSOLIDA MAJOR FLORE ALBO. *Ger. Em.* 806. Symphytum, Consolida major. *C. B. Pin.* 259. *Comfrey.* In aquosis passim. Maio floret. Invenitur flore purpureo sed rariùs.

CONYZA MEDIA. *Ger. Em.* 482. media Asteris flore luteo, vel tertia Dioscoridis. *C. B. Pin.* 265. *Middle Flea-bane.* Ad Fossas & rivos. Julio & Augusto floret.

CONYZA MINIMA. *Ger. Em.* 482. minor flore globoso. *C. B. Pin.* 266. *Small Flea-bane.* In aquosis & ubi per hyemem aquæ stagnârunt. Augusto floret.

CONVOLVULUS MAJOR ALBUS. *C. B. Pin.* 294. Smilax lenis sive lævis major. *Ger. Em.* 861. *Great Bindweed.* Hortorum pestis est. Maio floret.

CONVOLVULUS MINOR ARVENSIS. *C. B. Pin.* 294. Smilax lenis minor. *Ger. Em.* 861. *Small Bindweed.* In arvis frequens. Maio floret.

CORNUS FÆMINA. *Ger. Em.* 1467. *C. B. Pin.* 447. *The Dog-berry Tree.* In sylvis & sepibus. Maio floret.

CORYLUS

CORYLUS SYLVESTRIS. *Ger. Em.* 1438. *C. B. Pin.* 418. *The Hazel-Nut Tree.* In ſepibus paſſim. Primo vere Julos profert.

COTYLEDON PALUSTRIS. *Ger. Em.* 529. Hydrocotyle vulgaris. *J. R. H.* 328. *Marſh Pennywort, or White Rot.* In paluſtribus frequens, *as on* Harefield Common *and* Iver Heath *abundantly.* Junio floret.

CRATÆOGONON EUPHROSINE. *Ger. Em.* 95. Euphraſia pratenſis rubra. *C. B. Pin.* 234. *Eye-bright Cow-wheat.* Inter ſegetes paſſim. Julio & Auguſto floret.

CRUCIATA. *Ger. Em.* 1123. hirſuta. *C. B. Pin.* 335. *Croſs-wort or Mug-weed.* In dumetis ſed minùs frequens. Maio floret.

CUSCUTA MAJOR. *C. B. Pin.* 219. Cuſcuta ſive Caſſutha. *Ger. Em.* 577. *Dodder, or Hell-weed.* Satorum peſtis eſt. Julio floret.

CYANUS VULGARIS. *Ger. Em.* 732. Cyanus ſegetum. *C. B. Pin.* 273. *Common Blue-bottles.* Inter ſegetes paſſim.

Sub finem æstatis floret. Variat flore albo.

Cynocrambe Mas et Fæmina. *Ger. Em.* 333. Mercurialis montana testicula & spicata. *C. B. Pin.* 122. *Dogs Mercury.* In sepibus passim. Vere floret.

Cynoglossum Majus Vulgare. *Ger. Em.* 804. *C. B. Pin.* 257. *Common Hound's Tongue.* In locis ruderatis & incultis frequens. Junio & Julio floret.

D.

Daucus Sylvestris Tenuifolia. *Ger. Em.* 1028. Pastinaca sylvestris tenuifolia Dioscoridis, vel Daucus Officinarum. *C. B. Pin.* 151. *Wild Carrot, or Bird's Nest.* In pascuis frequens. Junio floret.

Dens Leonis. *Ger. Em.* 290. latiore folio. *C. B. Pin.* 126. *Dandelion.* In pascuis ubique. Vere floret.

Dens Leonis Hirsutus Λεπτόκαυλος, Hieracium Dictus. *Raii Syn. Ed.* III.

III. 171. Hieracium aſperum flore magno Dentis Leonis. *C. B. Pin.* 127. *Rough Dandelion, commonly called Dandelion Hawk-weed.* In pratis & paſcuis copioſè. Maio floret.

Dens Leonis Minimus Asper. *J. R. H.* 469. Hieracium pumilum ſaxatile aſperum præmorſâ radice. *C. B. Pin.* 128. *Prod.* 66. *Dwarf rough Stone Hawk-weed with bitten Roots. In the Gardens at* Breakſpears *plentifully.* Junio floret.

Dentaria Bulbifera. *Ger. Em.* 984. Heptaphyllos baccifera. *C. B. Pin.* 322. ſobolifera. *H. Oxon.* 255. *Tooth-wort, or Coral-wort. In the* Old Park Wood *near* Harefield *abundantly.* Circa mediam Aprilis floret.

Dentaria Major Matthioli. *Ger. Em.* 1585. Orobanche radice dentatâ major. *C. B. Pin.* 88. *Tooth-wort. In a ſhady Lane near* Harefield Town *plentifully.* Aprili floret.

Digitalis Purpurea. *Ger. Em.* 790. purpurea folio aſpero. *C. B. Pin.* 243. *Purple Fox-glove.* Ad vias & ſemitas

mitas paſſim. Maio floret. Variat flore albo.

DIPSACUS SYLVESTRIS MAJOR. *C. B. Pin.* 385. ſylveſtris. *Ger. Em.* 1167. *Wild Teaſel.* In incultis & ad agrorum margines frequens. Julio floret.

DIPSACUS SYLVESTRIS CAPITULO MINORE, VEL VIRGA PASTORIS MINOR. *C. B. Pin.* 385. Minor ſive Virga Paſtoris. *Ger. Em.* 1168. *Small Wild Teaſel, or Shepherd's-rod. About* More-Hall, *alſo in a little Wood near Sir* George Cooke's *Houſe at* Harefield *plentifully.* Autumno floret.

E.

EBULUS SIVE SAMBUCUS HUMILIS. *Ger. Em.* 1426. Sambucus humilis ſive Ebulus. *C. B. Pin.* 456. *Dwarf Elder or Dane-wort. In a Meadow near* Breakſpears, *and on* Uxbridge Moor *plentifully.* Junio & Julio floret.

ECHIUM VULGARE. *Ger. Em.* 802. *C. B. Pin.* 254. *Viper's Bugloſs.* Inter ſegetes

ſegetes nimis frequens. Junio & Julio floret.

ELATINE FOLIO ACUMINATO IN BASI AURICULATO, FLORE LUTEO. *C. B. Pin.* 253. Elatine altera. *Ger. Em.* 625. *Sharp-leav'd Fluellin.* Inter ſegetes frequens. Julio & Auguſto floret.

ELATINE FOLIO SUBROTUNDO. *C. B. Pin.* 252. Elatine, ſive Veronica fœmina Fuchſii. *Ger. Em.* 625. *Round-leav'd Fluellin.* Cum priore nec minùs frequens.

ENULA CAMPANA SIVE HELENIUM. *Ger. Em.* 793. Helenium vulgare. *C. B. Pin.* 276. *Elecampane.* In pratis quibuſdam ſed rariùs. *In a Cloſe adjoining to* Harefield Common, *alſo in a Meadow near* Breakſpears *called* Gantlets, *but not plentifully.* Julio floret.

EQUISETUM ARVENSE LONGIORIBUS SETIS. *C. B. Pin.* 16. ſegetale. *Ger. Em.* 1114. *Corn Horſe-tail.* Inter ſegetes haud infrequens, præſertim locis humidioribus.

EQUI-

EQUISETUM NUDUM LÆVIUS NOSTRAS. *Raii Syn. Ed.* III. 131. *Smooth naked Horſe-tail. In the* Warren-Pond *near* Breakſpears.

EQUISETUM FOLIIS NUDUM RAMOSUM. *C. B. Pin.* 16. Junceum ramoſum. *Park.* 1207. *Branch'd naked Horſe-tail. With the laſt.*

EQUISETUM SYLVATICUM. *Ger. Em.* 1114. ſylvaticum tenuiſſimis ſetis. *C. B. Pin.* 16. *Wood Horſe-tail.* In ſylvis humidis & umbroſis non rarò occurrit.

EQUISETUM PALUSTRE BREVIORIBUS FOLIIS POLYSPERMON. *C. B. Pin.* 15. paluſtre alterum brevioribus ſetis. *Park.* 1200. *Female Horſe-tail. In* Harefield *River, alſo in a Bog on* Uxbridge-Moor *plentifully.*

ERICA MAJOR FLORE PURPUREO. *Ger. Em.* 1381. ex rubro nigricans ſcoparia. *C. B. Pin.* 486. *Low Dutch Heath.* In Ericetis copioſè. Autumno floret.

ERICA TENUIFOLIA. *Ger. Em.* 1382. humilis cortice cinericeo Arbuti flore.

flore. *C. B. Pin.* 486. *Fine leav'd Heath.* Cum priore.

ERICA VULGARIS SIVE PUMILA. *Ger. Em.* 1380. vulgaris glabra. *C. B. Pin.* 485. *Common Heath. Theſe three laſt grow plentifully on* Harefield Common.

ERUCA HIRSUTA, SILIQUA CAULI APPRESSA, ERYSIMUM DICTA. *Raii Syn. Ed.* III. 298. Eryſimum vulgare. *C. B. Pin.* 100. *Hedge Muſtard.* Ad vias & ſemitas. Junio floret.

EUONYMUS THEOPHRASTI. *Ger. Em.* 1468. vulgaris granis rubentibus. *C. B. Pin.* 428. *Spindle-Tree, or Prick-wood.* In ſepibus & locis humidioribus. Aprili & Maio floret.

EUPATORIUM CANNABINUM. *C. B. Pin.* 320. mas. *Ger. Em.* 711. *Common Hemp Agrimony, or Dutch Agrimony.* In paluſtribus copioſe. Julio & Auguſto floret.

EUPATORIUM CANNABINUM FÆMINA. *Ger. Em.* 711. Cannabina aquatica folio tripartito diviſo. *C. B. Pin.* 321. *Water Hemp. Agrimony with a divided*

vided Leaf. In aquoſis frequens. Julio & Auguſto floret.

Eupatorii Cannabini Fæminæ Varietas Altera. *Ger. Em.* 711. Cannabina aquatica folio non diviſo. *C. B. Pin.* 321. *Water Hemp Agrimony with a divided Leaf.* Cum priore.

Euphrasia. *Ger. Em.* 663. Officinarum. *C. B. Pin.* 233. *Eye-bright.* In pratis & paſcuis, nonnunquam etiam in Ericetis invenitur. Junio floret.

F.

Fagus. *Ger. Em.* 1444. *C. B. Pin.* 419. *The Beech Tree.* In ſylvis copioſe. Aprili & Maio floret.

Festuca Avenacea Sterilis Elatior. *C. B. Pin.* 9. Bromos ſterilis. *Ger. Em.* 76. *Great wild Oat Graſs, or Drank.* In ſepibus & ad agrorum margines. Maio menſe paſſim reperitur.

Filix Fæmina. *Ger. Em.* 1128. ramoſa major pinnulis obtuſis non dentatis.

C.

C. B. Pin. 357. *Female Fern.* Paſſim nimis frequens.

FILIX MAS. *Ger. Em.* 1128. non ramoſa dentata. *C. B. Pin.* 358. *Male Fern.* In umbroſis ſepium aggeribus ubique obvia.

FILIX MAS NON RAMOSA, PINNULIS LATIS AURICULATIS SPINOSIS. *Ger. Em.* 1130. aculeata major. *C. B. Pin.* 358. *Prodr.* 151. *Prickly Auriculate Male Fern. In the* Old Park Wood *pleutifully.*

FRAGARIA VULGARIS. *C. B. Pin.* 326. Fragaria & Fraga. *Ger. Em.* 997. *Common Strawberry.* In ſylvis paſſim & copioſè. Maio floret.

FRAXINUS. *Ger. Em.* 1472. excelſior. *C. B. Pin.* 416. *The Aſh-Tree.* In ſylvis copioſè. Vere floret.

FRITILLARIA PRÆCOX PURPUREA VARIEGATA. *C. B. Pin.* 64. Fritillaria variegata. *Ger. Em.* 149. *Changeable checquer'd Daffodil, or Fritillary. In* Maudfields *near* Riſlip-Common, *obſerv'd above* 40 *Years by Mr.* Aſhby *of* Breakſpears.

The Country People call them Snake's-Heads. Aprili floret & citò evaneſcit.

FUMARIA OFFICINARUM ET DIOSCORIDIS. *C. B. Pin.* 143. purpurea. *Ger. Em.* 1088. *Common Fumitory.* Inter ſegetes frequens. Maio & Junio floret.

FUNGUS CAMPANIFORMIS NIGER PARVUS, MULTA SEMINA PLANA IN SE CONTINENS. *Merret. Pin.* 41. minimus ligneis tabellis areolarum hortorum adnaſcens. *C. B. Pin.* 374. *Seeding Cup-Muſhroom. Obſerv'd by the Rev. Mr.* Jacques, *in his Garden at* Uxbridge, *this Year* (1735.)

FUNGUS CORALLOIDES FLAVUS ET ALBIDUS. *J. R. H.* 564. ramoſus & Imperati. *C. B. Pin.* 371. 29. *Branch'd or Coralline Muſhroom. Gather'd by Mr.* Jacques, *Surgeon at* Uxbridge, *in his Garden there, the ſame Year.*

FUNGUS RAMOSUS, NIGER, COMPRESSUS, PARVUS, APICIBUS ALBIDIS. *Raii Syn. Ed.* II. 15. 11. *Black horn'd Wood Muſhroom. At the Bottom of Old Pales, &c. very common.*

G.

G.

GALLIUM ALBUM. *Ger. Em.* 1126. paluſtre album. *C. B. Pin.* 335. *White Ladies Bed-ſtraw.* In paluſtribus & aquoſis. Julio & Auguſto floret.

GALLIUM LUTEUM. *Ger. Em.* 1126. luteum. *Chabr.* 335. *Yellow Ladies Bed-ſtraw.* Ad agrorum margines ſolo præſertim ſicco aut glareoſo. Junio & Julio floret.

GENISTA ACULEATA. *Ger. Em.* 1320. Minor Aſpalathoides, ſive geniſta ſpinoſa Anglica. *C. B. Pin.* 395. *Prodr.* 157. *Needle Furze, or Petty Whin.* In Ericetis. Junio floret.

GENISTA VULGARIS. *Ger. Em.* 1311. Anguloſa & ſcoparia. *C. B. Pin.* 395. *Common Broom.* In paſcuis ſiccioribus. Aprili & Maio floret.

GENISTELLA TINCTORIA. *Ger. Em.* 1316. Geniſta Tinctoria Germanica. *C. B. Pin.* 395. *Dyers Weed, or Wood-waxen.* In paſcuis ſed non valdè frequens. Julio floret.

GENTIANA PRATENSIS FLORE LANUGINOSO. *C. B. Pin.* 188. Gentianella fugax minor. *Ger. Em.* 437. Gentianella fugax Autumnalis elatior, Centaurii minoris foliis. *Raii Syn. Ed.* III. 275. 3. *Dwarf Autumnal Gentian, or Fell-wort. In the Old Chalk-Pit near* Harefield-Mill *plentifully.* Auguſto & Septembri floret.

GERANIUM COLUMBINUM MAJUS DISSECTIS FOLIIS. *Ger. Em.* 938. Malacoides ſive columbinum tenuius laciniatum. *Park.* 707. *Dove's-Foot Crane's Bill with jagged Leaves.* In paſcuis præſertim glareoſis & ſterilioribus. Maio floret.

GERANIUM COLUMBINUM DISSECTIS FOLIIS, PEDICULIS FLORUM LONGISSIMIS. *Raii Cat. Angl.* 130. Columbinum foliis magis diſſectis, pediculis longiſſimis, flore magno. *Merret. Pin.* 45. *Jagged Dove's-Foot Crane's-Bill with Flowers on long Foot-ſtalks.* In paſcuis ſed rariùs. *In a Field near* Harefield Common, *in a Gravel-Pit plentifully.* Junio floret.

GERANIUM LUCIDUM SAXATILE. *Ger. Em.* 938. *C. B. Pin.* 318. *Shining*

or

or Stone Dove's-Foot Crane's-Bill. In umbroſis, *as in the Lane leading to* Harefield Mill *plentifully.* Maio floret.

GERANIUM ROBERTIANUM. *C. B. Pin.* 319. *Ger. Em.* 939. *Herb Robert.* In muris & locis ruderatis frequens. Aprili floret.

GERANIUM ROBERTIANUM FLORE ALBO. *White-flower'd Herb Robert. In a Hedge near* Riſlip-Town. Aprili cum floribus inveni, hoc Anno (1735).

GLADIOLUS PALUSTRIS CORDI. *Ger. Em.* 29. Juncus floridus major. *C. B. Pin.* 12. *The flowering Ruſh or Water Gladiole.* Ad rivulos & foſſas frequens. Junio floret.

GNAPHALIUM VULGARE MAJUS. *C. B. Pin.* 263. Filago ſive Herba impia. *Ger. Em.* 642. *Common Cudweed.* In ſterilioribus frequens. Junio floret.

GNAPHALIUM LONGIFOLIUM HUMILE RAMOSUM, CAPITULIS NIGRIS. *Raii Cat. Angl.* 135. medium. *C. B. Pin.* 263. *Black-headed, long-leav'd, low, branch'd Cudweed. In Ditches where Water has ſtood in Winter, very common.* Junio floret.

GRAMEN

GRAMEN AGRORUM VENTI SPICA. *Park.* 1158. Segetum panicula arundinacea. *C. B. Pin.* 3. *Corn-Reed-Graſs.* Inter ſegetes frequens reperitur.

GRAMEN AVENACEUM NEMORENSE GLUMIS RARIORIBUS EX FUSCO XERAMPELINIS. *Raii Syn. Ed.* II. 262. 12. Avenaceum locuſtis rarioribus. *C. B. Pin.* 10. *Red Oat-Graſs of the Woods.* In ſylvis quibuſdam ſed rariùs. *In the* Old Park Wood, *and in the Lane near the* Chalk-Pit *at* Harefield *plentifully.* Aprili paniculam promit.

GRAMEN AVENACEUM PARVUM PROCUMBENS, PANICULIS NON ARISTATIS. *Raii Syn. Ed.* III. 408. 11. *Small ſupine Oat-Graſs, without Awns.* *On* Harefield-Common, *and near* Battle's Well. Maio paniculam explicat.

GRAMEN CRISTATUM. *Ger. Em.* 29. criſtatum pratenſe, ſive Gramen ſpicâ criſtatâ læve. *C. B. Pin.* 3. *Smooth creſted Graſs.* In paſcuis frequentiſſimè reperitur. Junio ſpicam profert.

GRAMEN CYPEROIDES LATIFOLIUM SPICA RUFA SIVE CAULE TRIANGULO. *C. B. Pin.* 6. majus latiſolium.. *Park.* 1265. *Great vernal Cyprus-Graſs.* In aquoſis, & ad fluviorum ripas paſſim. Maio floret.

GRAMEN CYPEROIDES MAJUS ANGUSTIFOLIUM. *Park.* 1265. *Ger. Em.* 29. *Great narrow-leav'd vernal Cyperus-Graſs.* Cum priore.

GRAMEN CYPEROIDES PULICARE. *Merr. Pin.* 52. minimum, ſeminibus deorſum reflexis puliciformis. *Raii Syn. Ed.* II. 269. 12. *Flea-Graſs. On* Harefield-Moor *plentifully.*

GRAMEN CYPEROIDES, FOLIIS CARYOPHYLLEIS, SPICIS OBLONGIS E PEDICULIS LONGIORIBUS PENDULIS. *Raii Syn. Ed.* II. 264. 5. *Many-ſpik'd July-Flower-leav'd Cyperus-Graſs with pendulous Heads.* In pratis humidioribus paſſim occurrit.

GRAMEN CYPEROIDES POLYSTACHION LANUGINOSUM. *Raii Syn. Ed.* II. 265. 6. *Many-ſpik'd hairy Cyperus-Graſs.*

Graſs. In paluſtribus & aquoſis frequens. Aprili & Maio ſpicas profert.

GRAMEN CYPEROIDES TENUIFOLIUM, SPICIS AD SUMMUM CAULEM SESSILIBUS GLOBULORUM ÆMULIS. *Plukenet. Phyt. Tab.* 91. *f.* 8. *On* Harefield-Common *plentifully.*

GRAMEN CYPEROIDES SPICATUM MINUS, SPICA LONGA DIVULSA SEU INTERRUPTA. *Raii Syn. Ed.* II. 269. 10. *The leſſer-ſpik'd Cyperus-Graſs, with a long interrupted Ear.* In paſcuis & locis humidioribus, ſed non ita frequens.

GRAMEN CYPEROIDES ANGUSTIFOLIUM, SPICIS PARVIS SESSILIBUS IN FOLIORUM ALIS. *Raii Syn. Ed.* II. 267. 19. *Narrow-leav'd Cyperus-Graſs, with ſhort ſeſſile Spikes.* In foſſis udis multotiès obſervavi.

GRAMEN EXILE DURIUSCULUM IN MURIS ET ARIDIS PROVENIENS. *Raii Syn. Ed.* II. 259. 15. *Small hard Graſs.*

GRAMEN EXILE HIRSUTUM. *Ger. Em.* 17. hirſutum capitulis Pſyllii. *C. B. Pin.*

Pin. 7. *Small hairy Wood-Graſs.* In pratis & paſcuis paſſim. Primo vere floret.

GRAMEN HIRSUTUM ELATIUS PANICULA JUNCEA COMPACTA. *Raii Syn. Ed.* II. 263. 2. hirſutum capitulo globoſo. *C. B. Pin.* 7. *The greater hairy Graſs, with a compact Ruſh-like Panicle. In a Wood by the Road's Side going to* Bacher-Heath *from* Harefield-Common, *but not plentifully.*

GRAMEN NEMOROSUM HIRSUTUM LATIFOLIUM MAXIMUM. *Raii Syn. Ed.* III. 416. 4. *The greateſt broad-leav'd hairy Wood-Graſs. In a Field near Mr.* Aſhby's *Brick-Kiln at* Harefield *plentifully.* Aprili floret.

GRAMEN NEMOROSUM HIRSUTUM VULGARE. *Raii Syn. Ed.* II. 263. 3. hirſutum latifolium majus. *C. B. Pin.* 7. *Common hairy Wood-Graſs.* In ſylvis paſſim.

GRAMEN JUNCEUM CLAVATUM MINIMUM, SIVE HOLOSTEUM PALUSTRE REPENS, FOLIIS, CAPITULIS ET SEMINIBUS PSYLLII. *Raii Syn. Ed.* I.

II. 276. 7. Juncellus capitulis Equiſeti minor & fluitans. *C. B. Pin.* 12. *Prodr.* 23. *Marſh Ruſh-Graſs with Flea-wort Heads. In the Bogs on* Harefield-Common *plentifully.*

GRAMEN JUNCEUM PARVUM, SIVE HOLOSTIUM MATTHIOLI, ET GRAMEN BUFONIUM FLANDRORUM. *Park.* 1190. nemoroſum calyculis paleaceis. *C. B. Pin.* 7. *Toad-Graſs.* In humidis & aquoſis paſſim.

GRAMEN JUNCEUM SPICATUM, SEU TRIGLOCHIN. *C. B. Pin.* 6. marinum ſpicatum. *Ger. Em.* 18. *Arrow-headed Graſs. In the marſhy Grounds about* Harefield *plentifully.* Julio & Auguſto floret.

GRAMEN MILIACEUM. *Ger. Em.* 6 ſylvaticum paniculâ miliaceâ ſparſâ. *C. B. Pin.* 8. *Millet-Graſs.* Locis ſylvoſis non rarò reperitur.

GRAMEN PARVUM PRÆCOX SPICA LAXA CANESCENTE. *Raii Cat. Angl.* 150. *Small Vernal Graſs, with a ſoft looſe Spike.* In ſterilioribus, *as on* Harefield Common, *and elſewhere.*

GRAMNE

GRAMEN PRATENSE SEROTINUM PANICULA LONGA PURPURASCENTE. *Raii Syn. Ed.* II. 260. 21. pratenſe ſpica Lavendulæ. *Merr. Pin.* 57. *Late flowering Meadow Graſs with a long purple Panicle. In the moiſt Meadows near* Harefield-Moor. Julio paniculam promit.

GRAMEN JUNCEUM CAPSULIS TRIANGULIS MINIMUM. *Raii Syn. Ed.* II. 275. 3. Graminis Juncei varietas minor. *Ger. Em.* 4. *The leaſt Triangular-ſeeded Ruſh-Graſs. In the moiſt Parts of* Harefield Common *plentifully.*

GRAMEN SPARTEUM JUNCIFOLIUM. *C. B. Pin.* 5. Spartum noſtras parvum Lobelii. *Ger. Em.* 43. *Small Mat-weed. On* Harefield Common *abundantly.* Aprili floret.

GRAMEN TOMENTARIUM. *Ger. Em.* 29. pratenſe tomentoſum paniculâ ſparſâ. *C. B. Pin.* 4. *Cotton-Graſs.* In paluſtribus paſſim.

GRAMEN TREMULUM MAJUS. *C. B. Pin.* 2. Phalaris pratenſis. *Ger. Em.* 86. *Quaking-*

Quaking-Grass. In pascuis frequentissimum. Maio paniculam explicat.

GRAMEN TYPHOIDES ASPERUM PRIMUM. *C. B. Pin.* 4. typhinum majus. *Ger. Em.* 10. *Cat's-tail-Grass.* In pascuis & ad sepes præsertim locis humidioribus.

GRAMEN TYPHOIDES ASPERUM ALTERUM. *C. B. Pin.* 4. typhinum minus. *Ger. Em.* 10. *Lesser Cat's-tail-Grass.* Cum priore.

GRAMEN TYPHOIDES SPICA ANGUSTIORE. *C. B. Pin.* 4. myosuroides maju, spicâ longiore, aristis rectis. *Raii Syn. Ed.* II. 251. *Mouse-tail-Grass.* Inter segetes passim.

H.

HEDERA TERRESTRIS. *Ger. Em.* 856. terrestris vulgaris. *C. B. Pin.* 306. *Ground-Ivy, Ale-hoof, or Tun-hoof.* Ad sepes passim. Aprili floret.

HELIANTHEMUM VULGARE LUTEUM. *Ger. Em.* 1282. Chamæcistus vulgaris

vulgaris flore luteo. *C. B. Pin.* 465. *Dwarf Cistus, or little Sun-Flower.*. In montosis cretaceis. *On the Ruins of* Verulam *abundantly.* Junio floret.

HERBA PARIS. *Ger. Em.* 405. Solanum quadrifolium bacciferum. *C. B. Pin.* 167. *Herb-Paris or One-Berry.* In sylvis & dumetis sed rariùs. *In the* Old Park, Hanging-Wood, *and elsewhere near* Harefield *plentifully.* Martio & Aprili floret. Invenitur quandoque hexaphyllos, *as in the* Old Park, *but very rarely.*

HIERACIUM ASPERUM. *Ger. Em.* 298. Cichorium pratense luteum hirsutie asperum, vel Hieracium hirsutum foliis caulem ambientibus. *C. B. Pin.* 126. *Rough Hawkweed with a large yellow Flower, Yellow Succory. In* Harefield Chalk-Pit. Julio floret.

HIERACIUM ECHIOIDES CAPITULIS CARDUI BENEDICTI. *C. B. Pin.* 128. Buglossum luteum. *Ger. Em.* 798. *Lang de Bœuf.* Ad agrorum margines frequens. Augusto floret.

HIERACIUM FRUTICOSUM LATIFOLIUM HIRSUTUM. *C. B. Pin.* 129. *Park.*

802. *Buſhy Hawkweed with broad rough Leaves. In the* Old Park *and other Woods.* Auguſto floret.

HIERACIUM MURORUM FOLIO PILOSISSIMO. *C. B. Pin.* 129. murorum Bauhini, quod eſt Pulmonaria Gallorum Lobelii. *Park.* 801. *French or Golden Lung-wort. On a Wall againſt* Hillingdon-Church, *alſo on the Old Walls of the Duke of* Bedford's *Garden at* Cheyneis *in* Buckinghamſhire. Junio & Julio floret.

HIERACIUM MINUS FOLIO SUBROTUNDO. *C. B. Pin.* 127. Hyoſeris maſcula. *Ger. Em.* 288. *Small Swines Succory or Hawkweed.* In paſcuis ſolo arenoſo. *In* Tuddington-field *near* Hampton-Court *plentifully.* Maio floret.

HIPPOSELINUM. *Ger. Em.* 1019. Hippoſelinum Theophraſti vel Smyrnium Dioſcoridis. *C. B. Pin.* 154. *Alexanders. In a Lane and ſome Fields about* Cowley *near* Uxbridge, *and about* Windſor-Caſtle *plentifully.* Maio & Junio floret.

HOLOSTEUM MINIMUM TETRAPETALON, SIVE ALSINE TETRAPETALOS CARY-

CARYOPHYLLOIDES. *Raii Cat. Angl.* 163. *The leaſt Stitchwort. On* Harefield *and* Uxbridge Commons *abundantly.* Aprili floret.

HORMINUM SYLVESTRE. *Ger. Em.* 771. ſylveſtre Lavendulæ flore. *C. B. Pin.* 239. *Wild Clary.* In glareoſis & ſterilioribus frequens. Junio floret.

HYACINTHUS ANGLICUS. *Ger. Em.* 111. oblongo flore cæruleus major. *C. B. Pin.* 43. *Engliſh Hyacinth or Hare-bells.* In ſylvis & dumetis paſſim. Invenitur flore albo & cinericeo, *as in the* Old Park, *and in a Meadow near Sir* George Cooke's *Houſe.* Martio & Aprili floret.

HYOSCYAMUS VULGARIS VEL NIGER. *C. B. Pin.* 169. niger. *Ger. Em.* 353. *Black Hen-bane.* In ſterilioribus & locis ruderatis ubique. Junio floret.

HYPERICUM ANDROSÆMUM DICTUM. *J. B. Raii Syn. Ed.* III. 343. Androſæmon hirſutum. *C. B. Pin.* 280. *Tutſan St. John's-Wort.* In dumetis frequens. Junio & Julio floret.

HYPERICUM MAXIMUM ANDROSÆMUM VULGARE DICTUM. *Raii Syn. Ed.* III. 343. Clymenon Italorum. *Ger. Em.* 543. *Tutſan, or Park-leaves.* In ſylvis & vepretis ſed rariùs. *In a Thicket near* Harefield-Church, *alſo near* Bacher-Heath. Julio floret.

HYPERICUM MINUS SUPINUM, VEL SUPINUM GLABRUM. *C. B. Pin.* 279. ſupinum glabrum. *Ger. Em.* 541. *The leaſt trailing St. John's-wort.* In Ericet's & locis ſterilioribus frequens. Junio & Julio floret.

HYPERICUM PULCHRUM TRAGI. *Ger. Em.* 540. minus erectum. *C. B Pin.* 279. *Small upright St. John's-wort. In the* Old Park *and other Woods near* Harefield *plentifully.* Junio & Julio floret.

HYPERICUM ASCYRON DICTUM CAULE QUADRANGULO. *J. B. Raii Syn. Ed.* III. 344. 7. Aſcyron. *Ger. Em.* 542. *St. Peter's-wort.* In paluſtribus & ad rivos frequens. Junio floret.

HYPERICUM, ASCYRUM SUPINUM VILLOSUM PALUSTRE DICTUM. *C. B. Pin.*

Pin. 280. Aſcyron ſupinum ἰλώδης Cluſii. *Ger. Em.* 542. *Marſh St. Peter's-wort with hoary Leaves.* In paluſtribus, ſed non admodùm frequens. *In the Bogs on* Iver Heath *near* Uxbridge *plentifully.* Julio floret.

I.

JACEA MAJOR. *Ger. Em.* 727. Scabioſa major ſquamatis capitulis. *C. B. Pin.* 269. *Great Knapweed, or Matfellon.* Inter ſegetes paſſim. Junio floret. Variat flore albo.

JACEA NIGRA. *Ger. Em.* 727. nigra pratenſis latifolia. *C. B. Pin.* 271. *Knapweed, or Matfellon.* In paſcuis nimis frequens. Julio floret.

JACOBÆA LATIFOLIA. *Ger. Em.* 280. Alpina laciniata flore Bupthalmi. *C. B. Pin.* 131. *Broad-leav'd Marſh or Water Ragwort.* In paluſtribus & aquoſis paſſim. Julio floret.

JACOBÆA SENECIONIS FOLIO INCANO PERENNIS. *Raii Syn. Ed.* II. 82. 2. *Hoary perennial Rag-wort with Ground-*

sel. Leaves. In pascuis & inter vepres frequens. Julio & Augusto floret.

Jacobæa Vulgaris. *Ger. Em.* 280. vulgaris laciniata. *C. B. Pin.* 131. *Common Rag-wort or Seggrum.* Ad vias & in locis incultis passim. Junio floret.

Iris Palustris Lutea. *Ger. Em.* 50. Acorus adulterinus. *C. B. Pin.* 34. *Yellow Water-Flag, or Fleur-de-luce.* In fossis paluſtribus & ad rivos passim. Maio floret. Variat flore albo.

Juncus Aquaticus Maximus. *Ger. Em.* 35. maximus seu Scirpus major. *C. B. Pin.* 12. *Great Water-Rush, or Bull-Rush.* In rivulis passim.

Juncus Aquaticus Minor Capitulis Equiseti. *Ger. Em.* 34. & *Append.* 1630. capitulis Equiseti major. *C. B. Pin.* 12. *Club-Rush, or Aglet-headed Rush.* In rivulis passim & copiosè. Per totam ferè æstatem floret.

Juncus Durus Vulgaris. *Raii Syn. Ed.* III. 432. 3. acutus paniculâ sparsâ. *C. B. Pin.* 11. *Common hard Rush.* In pascuis & ad vias præsertim locis humidioribus passim. Jun-

JUNCUS LÆVIS PANICULA SPARSA MAJOR. *C. B. Pin.* 12. lævis. *Ger. Em.* 39. *Common soft Rush.* In locis humidis & juxta aquas frequentissimè.

JUNCO AFFINIS, PANICULA LAXA, SEU LONGIORIBUS PEDICULIS INSIDENTE. *Scheuchzer. Agrost.* 350. Juncus montanus palustris. *Raii Syn. Ed.* II. 272. 6. *Moss-Rush or Goose-Corn.* In palustribus solo præsertim spongioso. *On* Harefield-Common *abundantly.* Sub finem Maii paniculam explicat.

JUNCUS FOLIIS ARTICULOSIS FLORIBUS UMBELLATIS. *Inst. R. H.* 247. Gramen junceum folio articulato aquaticum. *C. B. Pin.* 5. *Prod.* 12. *The lesser Rush-Grass with jointed Leaves and triangular Seed-Vessels.* In palustribus passim. Autumno floret.

JUNCELLUS OMNIUM MINIMUS. CHAMÆSHÆNOS. *Lobel. Adv.* 44. Gramen junceum minimum capitulo squamoso. *C. B. Pin.* 6. *Prod.* 13. *The least Rush of all. By the Side of the Canal in Sir* George Cooke's *Garden, but not plentifully.* *On* Harefield-

Harefield-Moor *abundantly.* Junio & Julio ſpicam profert.

JUNIPERUS. *Ger. Em.* 1372. vulgaris fruticoſa. *C. B. Pin.* 488. *The Juniper Tree. On* Harefield-Common *abundantly.* Maio floret, & Autumno baccas perficit.

L.

LACTUCA AGNINA. *Ger. Em.* 310. Valeriana campeſtris inodora major. *C. B. Pin.* 165. *Lambs-Lettuce or Corn-Sallet.* Inter ſegetes paſſim. Maio floret. Invenitur foliis ſerratis ſed rariùs.

LACTUCA SYLVESTRIS MAJOR OPII ODORE. *Ger. Em.* 309. ſylveſtris odore viroſo. *C. B. Pin.* 123. *The greater ſtrong-ſcented wild Lettuce.* Ad ſepes & in aggeribus foſſarum. Julio floret.

LACTUCA SYLVESTRIS COSTA SPINOSA. *C. B. Pin.* 123. ſylveſtris foliis diſſectis. *Ger. Em.* 309. *Milder-ſcented cut-leav'd wild Lettuce.* Ad agrorum margines, præſertim locis ſaxoſis. Julio & Auguſto floret.

LAMIUM

LAMIUM ALBUM, *Ger. Em.* 702. album non fœtens, folio oblongo, *C. B. Pin.* 231. *White Archangel, or dead Nettle.* Ad ſepes paſſim. Vere & æſtate floret.

LAMIUM LUTEUM. *Ger. Em.* 702. folio oblongo luteum. *C. B. Pin.* 231. *Yellow Archangel.* In ſylvis umbroſis & dumetis frequens. Aprili floret.

LAMIUM FOLIO CAULEM AMBIENTE MAJUS ET MINUS. *C. B. Pin.* 231. Alſine hederula altera. *Ger. Em.* 616. *Great Hen-bit.* In arvis & hortis ſatis frequens. Vere floret.

LAMIUM CANNABINO FOLIO VULGARE. *Raii Syn. Ed.* III. 240. 7. Cannabis ſpuria. *Ger. Em.* 709. *Nettle-Hemp, or Hemp-leav'd dead Nettle.* In arvis inter ſata paſſim provenit. Julio floret.

LAMIUM RUBRUM. *Ger. Em.* 702. purpureum fœtidum folio ſubrotundo, ſive Galeopſis Dioſcoridis. *C. B. Pin.* 230. *Red Archangel.* Vere & per totam æſtatem floret in hortis & areis ubique.

LAMP-

LAMPSANA. *Ger. Em.* 255. Soncho affinis Lampsana domestica. *C. B. Pin.* 124. *Nipple-wort.* In hortis & inter sata. Maio floret.

LAPATHUM AQUATICUM FOLIO CUBITALI. *C. B. Pin.* 116. Hydrolapathum magnum. *Ger. Em.* 389. *Great Water-Dock.* In aquosis passim. Julio & Augusto floret.

LAPATHUM ACUTUM. *Ger. Em.* 388. folio acuto, plano. *C. B Pin.* 115. *Sharp pointed Dock.* Locis aquosis & incultis frequens. Junio & Julio floret.

LAPATHUM FOLIO ACUTO CRISPO. *C. B. Pin.* 115. acuti varietas folio crispo. *Ger. Em.* 387. *Sharp-pointed Dock with curled Leaves.* Locis incultis frequens reperitur. Junio & Julio floret.

LAPATHUM FOLIO ACUTO RUBENTE, *C.B. Pin.* 115. sativum sanguineum. *Ger. Em.* 390. *Blood-wort. In an Orchard by the Road's Side in the Lane leading from* Harefield *to* Rislip. Autumno floret.

LATHY-

LATHYRUS SYLVESTRIS FLORE LUTEO. *Ger. Em.* 1231. ſylveſtris luteus foliis Viciæ. *C. B. Pin.* 344. *Tare Everlaſting.* In arvis inter ſata & in dumetis paſſim. Junio floret.

LAUREOLA. *Ger. Em.* 1404. ſemper virens flore viridi, quibuſdam Laureola mas. *C. B. Pin.* 462. *Spurge Laurel.* In ſylvis præſertim umbroſis. *In the little Grove near* Breakſpears *plentifully.* Januario & Februario floret.

LEUCOIUM LUTEUM VULGARE. *C. B. Pin.* 202. Keiri ſive Leucoium vulgare luteum. *Park.* 625. *Wall-Flower.* In muris antiquis & tectis. Per totum ferè annum floret.

LICHEN PETRÆUS LATIFOLIUS, SIVE HEPATICA FONTANA. *C. B. Pin.* 362. 1. Hepatica terreſtris. *Ger. Em.* 1565. *Common Ground Liver-wort.* In humidis umbroſis & ad fluviorum ripas frequens. Primo vere floret.

LICHEN PETRÆUS STELLATUS. *C. B. Pin.* 362. 2. item Lichen petræus umbel-

umbellatus. *Ibid.* N° 3. Hepatica ſtellata & umbellata. *Ger. Em.* 1565. *Star and round-headed Liver-wort. In the ſhady Walks of Sir* George Cooke's *Garden abundantly.* Julio & Auguſto floret.

LICHEN CINEREUS TERRESTRIS. *Raii Cat. Angl.* 185. Lichenoides peltatum terreſtre cinereum majus, foliis diviſis. *Cat. Giſſ.* 208. *Aſh-colour'd Ground Liver-wort. On all the Commons near* Harefield *abundantly.*

LICHENASTRUM CAPITULIS ROTUNDIS E FOLIORUM MEDIO ENASCENTIBUS. *Raii Syn. Ed.* III. 110. Lichen petræus cauliculo calceato. *C. B. Pin.* 362. 6. *Small Liver-wort with crumpled Leaves. In the Brook in* Gutter's-Dean Wood *near* Harefield Common, *plentifully.* Aprili menſe hoc anno (1735) cum capitulis floriferis inveni.

LIGUSTRUM. *Ger. Em.* 1394. Germanicum. *C. B. Pin.* 475. *Privet, or Prim.* In ſepibus frequens. Maio floret.

LILIUM

LILIUM CONVALLIUM. *Ger. Em.* 410. Convallium album. *C. B. Pin.* 304. *Lilly-Convally, or May-Lilly. Near* Caſhioberry *plentifully.* Maio floret.

LINARIA LUTEA VULGARIS. *Ger. Em.* 550. vulgaris lutea flore majore. *C. B. Pin.* 212. *Common yellow Toad-Flax.* Ad agrorum margines frequens. Junio floret.

LINARIA ANTIRRHINUM DICTA. *Raii Syn. Ed.* III. *283. 7. Antirrhinum minimum repens. *Ger. Em.* 549. *The leaſt Calves-Snout, or Snap-Dragon. Amongſt the Corn and in Gardens very common.* Junio floret.

LINUM SYLVESTRE CATHARTICUM. *Ger. Em.* 560. pratenſe floſculis exiguis. *C. B. Pin.* 214. *Purging or wild Dwarf-Flax, or Mill-Mountain.* In paſcuis montoſis & inter ſegetes frequens. Maio floret.

LITHOSPERMUM ARVENSE RADICE RUBENTE. *C. B. Pin.* 258. Bugloſſum

arvenſe annuum Lithoſpermi folio. *Inſt. R. H.* 134. *Baſtard Alkanet.* Inter ſegetes paſſim & copioſè. Maio & Junio floret.

LITHOSPERMUM MAJUS. *Ger. Em.* 609. majus erectum. *C. B. Pin.* 258. *Gromill, or Graymill.* In paſcuis ſiccioribus. Maio floret.

LONCHITIS ASPERA. *Ger. Em.* 1140. aſpera minor. *C. B. Pin.* 359. *Rough Spleen-wort. On* Harefield-Common *abundantly.*

LUPULUS MAS ET FÆMINA. *C. B. Pin.* 298. Salictarius. *Ger. Em.* 885. *Hops.* In ſepibus præſertim humidioribus. Julio floret.

LUTEOLA HERBA SALICIS FOLIO. *C. B. Pin.* 100. Luteola. *Ger. Em.* 494. *Wild-Woad, Yellow-Weed, or Dyers-Weed.* Locis ſterilioribus & incultis frequens reperitur. Junio & Julio floret.

LYCHNIS SYLVESTRIS, QUÆ BEN ALBUM VULGÒ. *C. B. Pin.* 205. Behen album.

album. *Ger. Em.* 678. *Bladder Campion.* Inter ſegetes paſſim. Maio floret. Invenitur foliis hirſutis ſed rariùs.

LYCHNIS SYLVESTRIS ALBA SIMPLEX. *C. B. Pin.* 204. albo flore. *Ger. Em.* 468. *White wild Campion.* Ad ſepes paſſim. Maio floret.

LYCHNIS SYLVESTRIS RUBELLO FLORE. *Ger. Em.* 469. ſylveſtris flore rubro. *Park.* 631. *Red-flower'd wild Campion.* In ſylvis humidis & ad foſſas paſſim. Maio & Junio floret.

LYCHNIS SEGETUM MAJOR. *C. B. Pin.* 204. Pſeudo-melanthium. *Ger. Em.* 1087. *Cockle.* Inter ſegetes nimis frequens. Maio & Junio floret.

LYSIMACHIA GALERICULATA. *Ger. Em.* 477. cærulea galericulata ſeu Gratiola cærulea. *C. B. Pin.* 246. *Hooded Willow-Herb, or Looſe-Strife.* In locis humidis & aquoſis frequens. Junio & Julio floret.

LYSIMACHIA GALERICULATA MINOR. *Raii Cat. Angl.* 194. latifolia ſeu noſtras minor. *Park.* 221. *The leſſer hooded Looſe-Strife. In the moiſt Parts of* Harefield-Common. Julio & Auguſto floret.

LYSIMACHIA LUTEA. *Ger. Em.* 474. lutea major, quæ Dioſcoridis. *C. B. Pin.* 245. *Yellow Willow-Herb, or Looſe-Strife. In the Meadows near* Uxbridge-Moor *very frequent.* Junio floret.

LYSIMACHIA PURPUREA SPICATA. *Ger. Em.* 476. ſpicata purpurea, fortè Plinii. *C. B. Pin.* 246. *Purple-ſpik'd Willow-Herb, or Looſe-Strife.* In paluſtribus paſſim. Julio & Auguſto floret.

LYSIMACHIA SILIQUOSA HIRSUTA MAGNO FLORE. *C. B. Pin.* 245. ſiliquoſa. *Ger. Em.* 476. 6. *Great hairy-codded Looſe-Strife, called alſo Codlings and Cream.* Ad margines foſſarum, & rivulorum ripas paſſim occurrit. Julio floret.

LYSI-

LYSIMACHIA SILIQUOSA HIRSUTA PARVO FLORE. *C. B. Pin.* 245. sylvestris siliquosa hirsuta. *Park.* 549. *The lesser hairy-codded Loose-Strife with small Flowers.* Locis humidis & aquosis frequens oritur. Julio floret.

LYSIMACHIA SILIQUOSA GLABRA MAJOR. *C. B. Pin.* 245. campestris. *Ger. Em.* 478. *The greater smooth-leav'd Willow-Herb, or Loose-Strife. Common in moist and shady Places.* Junio & Julio floret.

LYSIMACHIA CHAMÆNERION DICTA, LATIFOLIA. *C. B. Pin.* 245. Chamænerion. *Ger. Em.* 477. *Rosebay Willow-Herb. By the Side of a Wood about the Mid-way between* Beaconsfield *and* Uxbridge. Julio & Augusto floret.

M.

MALVA SYLVESTRIS. *Ger. Em.* 930. sylvestris folio sinuato. *C. B. Pin.* 314. *Common Mallow.* Locis ruderatis

& incultis paſſim. Per totam æſtatem floret.

MALVA SYLVESTRIS PUMILA. *Ger. Em.* 930. ſylveſtris folio rotundo. *C. B. Pin.* 314. *Small wild Mallow, or Dwarf Mallow.* Ad vias & ſemitas. Æſtate floret.

MALUS SYLVESTRIS. *Ger. Em.* 1461. *Park.* 1502. *The Crab-Tree, or Wilding.* In ſepibus frequens. Maio floret.

MARRUBIUM ALBUM. *Ger. Em.* 693. album vulgare. *C. B. Pin.* 230. *White Hore-hound. On* Uxbridge-Moor *abundantly.* Julio floret.

MARRUBIUM AQUATICUM. *Ger. Em.* 700. paluſtre glabrum. *C. B. Pin.* 230. *Water Hore-hound.* In aquoſis paſſim. Julio floret.

MARRUBIUM NIGRUM. *Ger. Em.* 701. nigrum fœtidum, Ballote Dioſcoridis. *C. B. Pin.* 230. *Black ſtinking Hore-hound.* Ad ſepes paſſim. Per totam ferè æſtatem floret.

MELAM-

MELAMPYRUM LUTEUM LATIFOLIUM. *C. B. Pin.* 234. Cratæogonum vulgare. *Park.* 1326. *Common wild Cow-Wheat.* In ſylvis copioſè. Maio floret.

MELILOTUS GERMANICA. *Ger. Em.* 1205. vulgaris. *Park.* 719. *Melilot.* In arvis inter ſegetes. Junio floret.

MENTHA SEU CALAMINTHA AQUATICA. *Ger. Em.* 684. Calamintha arvenſis verticillata. *C. B. Pin.* 229. *Water Mint with whorl'd Coronets.* In locis humidis admodùm frequens. *In the Gardens at* Breakſpears *abundantly.* Julio & Auguſto floret.

MENTHA AQUATICA SIVE SISYMBRIUM. *Ger. Em.* 684. rotundifolia paluſtris ſive aquatica major. *C. B. Pin.* 227. *Water Mint.* In paluſtribus & ad rivos paſſim. Junio & Julio floret.

MENTHA AQUATICA HIRSUTA, SIVE SISYMBRIUM HIRSUTUM. *Chabr.* 415. Siſymbrium hirſutum. *Raii Syn. Ed.* II. *Append.* 341. *Hairy Water-Mint.* Cum priore nec minùs frequens.

MENTHA

MENTHA CRISPA VERTICILLATA: *C. B. Pin.* 227. criſpa. *Park.* 31. *Curl'd Mint. By a Pond's Side in the Lane juſt below* Breakſpears *plentifully.* Auguſto florentem vidi.

MENTHA SYLVESTRIS ROTUNDIORE FOLIO. *C. B. Pin.* 227. Menthaſtrum. *Ger. Em.* 683. *Horſe-Mint, or round-leav'd wild Mint. In* Harefield Church-Yard *plentifully.* Julio & Auguſto floret.

MENTHA CATARIA VULGARIS & MAJOR. *C. B. Pin.* 228. felina ſive Cataria. *Ger. Em.* 782. *Nep, or Cat-Mint. In a Meadow near* Harefield-Mill, *alſo about* More-Hall, *and by the Road's Side, between* St. Giles's *and* St. Peter's Chalfont *plentifully.* Auguſto floret.

MILLEFOLIUM AQUATICUM SEU VIOLA AQUATICA CAULE NUDO. *C. B. Pin.* 141. Viola paluſtris. *Ger. Em.* 826. *Water-Violet.* In aquis ſtagnantibus aut tardiùs fluentibus frequens. Julio & Auguſto floret.

MILLE-

MILLEFOLIUM VULGARE ALBUM. *C. B. Pin.* 140. terreſtre vulgare. *Ger. Em.* 1072. *Common Yarrow, or Milfoil.* In paſcuis ubique. Maio floret. Variat flore purpureo.

MILLEGRANA MINIMA. *Ger. Em.* 569. Polygonum minimum ſeu Millegrana minima. *C. B. Pin.* 282. *The leaſt Rupture-wort, or All-ſeed.* *On* Harefield Common *and* Hillingdon-Heath. Auguſto floret.

MOLLUGO VULGATIOR. *Park.* 565. Rubia ſylveſtris lævis. *C. B. Pin.* 333. *Great Baſtard Madder.* Ad ſepes paſſim. Julio floret.

MUSCUS CORNICULATUS. *Ger. Em.* 1560. *Park.* 1308. *Horned Moſs.* In Ericetis.

MUSCUS PYXOIDES SIVE PYXIDATUS. *Ger. Em.* 1560. *Park.* 1308. *Cup, or Chalice Moſs.* *On* Harefield-Common *plentifully.*

MYO-

MYOSOTIS SCORPIOIDES ARVENSIS HIRSUTA. *Ger. Em.* 337. Echium Scorpioides arvenſe. *C. B. Pin.* 254. *Mouſe-ear Scorpion-Graſs.* In arvis præſertim ſterilioribus frequens. Vere floret. Variat flore albo.

MYOSOTIS SCORPIOIDES LATIFOLIA HIRSUTA. *Merr. Pin.* 60. *Broad-leav'd Mouſe-ear Scorpion-Graſs. In* Gutter's-Dean-Wood *and the* Old-Park *ſparingly.* Vere floret.

MYOSOTIS SCORPIOIDES MINOR FLOSCULIS LUTEIS. *Park.* 692. Scorpioides hirta minor. *Merr. Pin.* 82. *Small yellow-flower'd Scorpion-Graſs.* In ficcioribus & locis arenoſis frequens. Aprili floret.

MYOSOTIS SCORPIOIDES PALUSTRIS. *Ger. Em.* 337. Echium Scorpioides paluſtre. *C. B. Pin.* 254. *Water Scorpion-Graſs.* In paluſtribus & aquoſis valdè frequens. Aprili floret.

MYR-

MYRRHIS SYLVESTRIS SEMINIBUS ASPERIS. *C. B. Pin.* 160. ſylveſtris Neapolitana atque etiam Anglicana. *Park.* 935. *Small Hemlock Chervil with rough Seeds.* Ad ſemitas & in locis ruderatis paſſim. Maio & Junio floret.

MYRRHIS SYLVESTRIS SEMINIBUS LÆVIBUS. *C. B. Pin.* 160. Cicutaria alba Lugdunenſis. *Ger. Em.* 1038. *Wild Cicely, or Cow-weed.* Ad ſepes frequens. Maio & Junio floret.

N.

NAPUS SYLVESTRIS. *C. B. Pin.* 95. Bunias ſylveſtris Lobelii. *Ger. Em.* 235. *Wild Navew.* Ad margines agrorum & inter ſegetes frequens. Junio & Julio floret.

NARCISSUS SYLVESTRIS PALLIDUS CALICE LUTEO. *C. B. Pin.* 52. Narciſſus ſive Pſeudo-Narciſſus Anglicus. *Ger. Em.* 138. *Common Yellow Daffodil. In the Orchard at* Breakſpears *plentifully.* Martio & Aprili floret.

NAR-

NARCISSUS MEDIO LUTEUS. *Ger. Em.* 124. pallidus circulo luteo. *C. B. Pin.* 50. *Common White Daffodil, or Primrose peerless. In several Places near* Harefield. Aprili floret.

NASTURTIUM PETRÆUM. *Ger. Em.* 251. petræum foliis Bursæ Pastoris. *C. B. Pin.* 104. *Stone Cresses.* Locis arenosis frequens invenitur. *In* Tuddington Field *abundantly.* Junio floret.

NASTURTIUM AQUATICUM SUPINUM. *C. B. Pin.* 104. aquaticum sive Cratevæ Sium. *Ger. Em.* 257. *Water-Cresses.* Locis aquosis & ad rivulos ubique frequens. Junio & Julio floret.

NASTURTIUM SYLVESTRE TENUISSIME DIVISUM. *C. B. Pin.* 105. Sophia Chirurgorum. *Ger. Em.* 1068. *Flix-weed.* In fimetis & locis ruderatis haud infrequens. Junio floret.

NASTURTIUM SUPINUM CAPSULIS VERRUCOSIS. *Raii Meth. Em.* 98. Coronopus Ruellii. *Ger. Em.* 427. *Swines Cresses.* Ad vias passim. Junio floret.

NUMMU-

NUMMULARIA. *Ger. Em.* 630. major lutea. *C. B. Pin.* 309. *Money-wort, or Herb Two-pence.* In umbroſis humidis & paluſtribus copioſè. Maio floret.

NUMMULARIA MINOR FLORE PURPURASCENTE. *Ger. Em.* 630. minor purpuraſcente flore. *C. B. Pin.* 310. *Prodr.* 136. *Purple-flower'd Money-wort. On* Harefield-Moor *abundantly.* Junio & Julio floret.

NYMPHÆA ALBA. *Ger. Em.* 819. major. *C. B. Pin.* 193. *White Water-Lilly.* In fluviis reperitur ſed rariùs. *In* Windſor-Lake *on* Uxbridge-Moor *plentifully.* Junio floret.

NYMPHÆA ALBA MINIMA. *C. B. Pin.* 193. Morſus Ranæ. *Ger. Em.* 818. *The leaſt white Water-Lilly, or Frog-bit.* In aquis leniter fluentibus & foſſis aquoſis frequens. Julio & Auguſto floret.

NYMPHÆA LUTEA. *Ger. Em.* 819. major. *C. B. Pin.* 193. *Yellow Water-Lilly. On* Uxbridge-Moor *where the White grows, alſo in* Harefield-River *near the Mill, and elſewhere plentifully.* Junio floret.

O.

OENANTHE AQUATICA. *C. B. Pin.* 162. Filipendula aquatica. *Ger. Em.* 1060. *Water Drop-wort.* In pratis humidis & ad fluviorum ripas. Junio floret.

OENANTHE AQUATICA TRIFLORA, CAULIBUS FISTULOSIS. *H. Oxon. S.* 9. *T.* 7. *f.* 8. aquatica minor. 1233. *The leſſer Water Drop-wort. In the River near* Harefield-Mill. Junio & Julio floret.

ONOBRYCHIS SIVE CAPUT GALLINACEUM. *Ger. Em.* 1243. foliis Viciæ fructu echinato major. *C. B. Pin.* 350. *Medick-Vetchling, or Cock's-Head. In a Meadow near* Harefield Chalk-Pit *plentifully.* Maio & Junio floret.

OPHIOGLOSSUM. *Ger. Em.* 404. vulgatum. *C. B. Pin.* 354. *Adder's-Tongue. In all the moiſt Meadows near* Harefield *abundantly.* Maio menſe linguam profert. Variat magnitudine, & linguâ duplici & nonnunquam triplici invenitur, ſed rariùs.

ORCHIS

ORCHIS ABORTIVA FUSCA. *C. B. Pin.* 86. Satyrium abortivum ſive nidus avis. *Ger. Em.* 228. *Miſ-ſhapen Orchis, or Bird's-Neſt. In* White-Heath-Wood *on* Harefield-Common, *but very rarely.* Maio menſe hoc Anno (1735) cum floribus inveni.

ORCHIS LATIFOLIA HIANTE CUCULLO MAJOR. *Inſt. R. H.* 432. Cynoſorchis major altera. *Ger. Em.* 205. *The Man Orchis. In the* Chalk-Pit *near the* Paper-Mill *at* Harefield *pleutifully.* Maio & Junio floret.

ORCHIS MAGNA LATIS FOLIIS GALEA FUSCA VEL NIGRICANTE. *Chabr.* 248. *Broad-leav'd Man Orchis. In the ſame Pit.*

ORCHIS MORIO MAS FOLIIS MACULATIS. *C. B. Pin.* 81. Cynoſorchis morio mas. *Ger. Em.* 208. *The Male Fool-Stones.* In pratis & paſcuis frequens. Circa finem Aprilis floret. Flore carneo circa *Harefield* pluriès obſervavi.

ORCHIS MORIO FÆMINA. *C. B. Pin.* 82. Cynosorchis morio fæmina. *Ger. Em.* 208. *The Female Fool-Stones.* In pascuis copiosè præsertim humidioribus. Maio floret. Plurimùm variat floris colore, & circa *Harefield* flore albo frequens reperitur.

ORCHIS MYODES MINOR. *Park.* 1352. muscæ corpus referens minor, vel galeâ & alis herbidis. *C. B Pin.* 83. *The Common Fly-Orchis. In* Harefield Chalk-Pit, *particularly that Side next the Lane.* Junio floret.

ORCHIS PALMATA PRATENSIS LATIFOLIA, LONGIS CALCARIBUS. *C. B. Pin.* 85. Palma Christi mas. *Ger. Em.* 220. *The Male-handed Orchis, or Male Satyrion Royal.* In pratis humidis copiosè. Maio floret. Flore carneo reperitur sed minùs frequens.

ORCHIS PALMATA PRATENSIS MACULATA. *C. B. Pin.* 85. Palma Christi fæmina. *Ger. Em.* 220. *The Female-handed Orchis, or Female Satyrion Royal.* In sylvis & pratis humidis, nec minùs in sterilioribus

rilioribus oritur. *In* Harefield Chalk-Pit *plentifully.* Junio floret.

ORCHIS PALMATA MINOR CALCARIBUS OBLONGIS. *C. B. Pin.* 85. Serapias minor nitente flore. *Ger. Em.* 222. *Red-handed Orchis, with long Spurs. In* Harefield Chalk-Pit. Junio floret. *It is found in the ſame Pit with a white Flower, but very ſparingly.*

ORCHIS SIVE CYNOSORCHIS MINOR PANNONICA. *Ger. Em.* 207. Cynoſorchis militaris pratenſis humilior. *C. B. Pin.* 81. *Little Purple-flower'd Orchis. In the* Chalk-Pit *above-mention'd ſparingly.* Maio floret.

ORCHIS PURPUREA SPICA CONGESTA PYRAMIDALI. *Raii Syn. Ed.* II. 236. *Purple late-flowering Orchis. In the ſame Pit plentifully.* Junio floret.

ORCHIS ODORATA MOSCHATA SIVE MONORCHIS. *C. B. Pin.* 84. Puſilla odorata. *Park.* 1354. *The yellow ſweet, or Musk-Orchis. In a* Chalk-Pit *near the Duke of* Portland's *at* Gerard's-Croſs *plentifully.* Junio floret.

ORCHIS HERMAPHRODITICA. *Ger. Em.* 211. bifolia altera. *C. B. Pin.* 82. *Butter-fly Satyrion.* In ſylvis & dumetis haud infrequens. Maio floret.

ORCHIS FUCUM REFERENS MAJOR, FOLIOLIS SUPERIORIBUS CANDIDIS ET PURPURASCENTIBUS. *C. B. Pin.* 83. Teſticulus vulpinus 2. ſphegodes. *Ger. Em.* 212. *The common Humble-bee Satyrion, or Bee-flower. In* Harefield Chalk-Pit *ſparingly, in the* Chalk-Pit *at* Gerard's-Croſs *plentifully.* Maio & Junio floret.

ORIGANUM SYLVESTRE, CUNILA BUBULA PLINII. *C. B. Pin.* 223. Anglicum. *Ger. Em.* 666. *Wild Marjoram.* Ad ſepes & in dumetis frequens. Junio & Julio floret.

ORNITHOPODIUM RADICE NODOSA. *Park.* 1093. radice tuberculis nodoſâ. *C. B. Pin.* 350. *Bird's-Foot.* In locis ſiccioribus & arenoſis frequens. Maio floret.

OROBANCHE MAJOR GARYOPHYLLUM OLENS. *C. B. Pin.* 87. Rapum Geniſtæ ſive Orobanche. *Ger. Em.* 1311. *Broom-Rape. Amongſt the Brcom at the Entrance*

Entrance of Iver-Heath *plentifully.* Maio floret.

OXYACANTHUS. *Ger. Em.* 1327. Meſpilus Apii folio ſylveſtris ſpinoſa, ſive Oxyacantha. *C. B. Pin.* 454. *The White-Thorn, or Haw-Thorn.* In ſepibus ubique. Maio floret.

P.

PAPAVER RHÆAS. *Ger. Em.* 371. erraticum rhæas ſive ſylveſtre. *Park.* 367. *Red Poppy, or Corn Roſe.* Inter ſegetes paſſim. Maio & Junio floret.

PAPAVER LACINIATO FOLIO CAPITULO HISPIDO LONGIORE. *Raii Syn. Ed.* II. 180. Argemone capitulo longiore. *C. B. Pin.* 172. *Long rough-headed Baſtard-Poppy.*

PAPAVER LACINIATO FOLIO CAPITULO HISPIDO ROTUNDIORE. *Raii Syn. Ed.* II. 180. Argemone capitulo breviore. *C. B. Pin.* 172. *Round rough-headed Baſtard-Poppy. Theſe two laſt frequent among Corn.* Junio floret.

PARIE-

PARIETARIA. *Ger. Em.* 331. Officinarum & Dioſcoridis. *C. B. Pin.* 121. *Pellitory of the Wall.* In muris antiquis & locis ruderatis frequens. Julio floret.

PARNASSIA VULGARIS ET PALUSTRIS. *Inſt. R. H.* 246. Gramen Parnaſſi flore albo ſimplici. *C. B. Pin.* 309. *Graſs of Parnaſſus. In the moiſt Meadows near* Harefield-Mill, *particularly in a Bog in the Meadow next Mr.* Aſhby's Fiſhing-Houſe. Auguſto floret.

PARONYCHIA VULGARIS. *Ger. Em.* 624. Burſa Paſtoris minor loculo oblongo. *C. B. Pin.* 108. *Common Whitlow-Graſs.* In ſiccioribus paſſim. Martio floret.

PARONYCHIA RUTACEO FOLIO. *Ger. Em.* 624. Sedum tridaclytilites tectorum. *C. B. Pin.* 285. *Rue-leav'd Whitlow-Graſs.* In muris & tectis paſſim. Martio & Aprili floret.

PARTHENIUM SIVE MATRICARIA. *Ger. Em.* 652. Matricaria vulgaris, ſeu ſativa. *C. B. Pin.* 133. *Fever-few.* Ad vias

vias & in locis ruderatis frequens. Junio & Julio floret.

PASTINACA SYLVESTRIS LATIFOLIA. *C. B. Pin.* 155. latifolia ſylveſtris. *Ger. Em.* 1025. *Wild Parſnep. In* Harefield Chalk-Pit *abundantly.* Julio floret.

PECTEN VENERIS SIVE SCANDIX. *Ger. Em.* 1040. Scandix ſemine roſtrato vulgaris. *C. B. Pin.* 152. *Venus-Comb, or Shepherd's-Needle, by ſome Crow-Needles.* Inter ſegetes nimis frequens. Maio floret.

PEDICULARIS PRATENSIS LUTEA, VEL CRISTA GALLI. *C. B. Pin.* 163. Criſta Galli. *Ger. Em.* 1071. *Yellow-Rattle, or Cock's-Comb.* In paſcuis ubique. Maio floret.

PEDICULARIS PRATENSIS PURPUREA. *C. B. Pin.* 163. rubra vulgaris. *Ger. Em.* 1071. *Louſe-wort, or Red-Rattle.* In Ericetis præſertim humidioribus. Maio floret.

PEDICULARIS PALUSTRIS RUBRA ELATIOR. *Raii Syn. Ed.* II. 162. *Great Marſh*

Marsh Red-Rattle, or Louse-wort. In the Meadows near Harefield-Moor *plentifully.* Maio floret. Præcedente plus duplo major est.

PENTAPHYLLUM RECTUM MINUS. *Park.* 400. Quinquefolium Tormentillæ facie. *Ger. Em.* 988. *Tormentil Cinquefoil.* In pascuis arenosis sed rariùs. *In a Field near* Harefield-Common *sparingly.* Junio floret.

PENTAPHYLLUM VULGATISSIMUM. *Park.* 398. Quinquefolium vulgare *Ger. Em.* 987. *Common Cinquefoil, or Five-leav'd Grass.* Ad semitas passim & copiosè. Junio floret.

PENTAPHYLLOIDES ARGENTINA DICTA. *Raii Syn. Ed.* III. 256. Potentilla. *C. B. Pin.* 321. *Wild Tansey, or Silver-weed.* Locis aquosis ubique obvia. Junio floret.

PERCEPIER ANGLORUM LOBELII. *Ger. Em.* 1594. Chærophyllo nonnihil similis. *C. B. Pin.* 152. *Parsley-Piert, or Breakstone.* In pascuis siccioribus & arenosis frequens. Maio floret.

PERFO-

PERFOLIATA VULGARIS. *Ger. Em.* 536. vulgatiſſima, ſive arvenſis. *C. B. Pin.* 277. *Thorow-Wax.* Inter ſegetes ſed rariùs. *I obſerv'd it this Year (1735) in a Field of Corn near* Harefield-Mill, *but not plentifully.* Junio floret.

PERICLYMENUM. *Ger. Em.* 891. non perfoliatum Germanicum. *C. B. Pin.* 302. *Common Honeyſuckle, or Woodbine.* In ſylvis & ſepibus copioſiſſimè. Maio & Junio floret.

PERICLYMENUM FOLIIS QUERCINIS. *Merr. Pin.* 92. Caprifolium non perfoliatum, foliis ſinuoſis. *Inſt. R. H.* 608. *Honeyſuckle with ſinuated Leaves. In* White-Heath-Wood *near* Harefield *plentifully.*

PERSICARIA MACULOSA. *Ger. Em.* 449. mitis maculoſa & non maculoſa. *C. B. Pin.* 101. *Dead or ſpotted Arſmart.* Ad rivulos & in locis aquoſis frequens. Julio floret.

PERSICARIA SALICIS FOLIO PERENNIS, POTAMOGITON ANGUSTIFOLIUM

LIUM DICTA. *Raii Syn. Ed.* III. 345. 9. Potamogiton anguſtifolium. *Ger. Em.* 821. *Perennial Willow-leav'd Arſmart, commonly call'd narrow-leav'd Pond-weed. In watery Places about* Harefield *and* Uxbridge, *but not very common.* Julio & Auguſto floret.

PERSICARIA URENS SEU HYDROPIPER. *C. B. Pin.* 101. vulgaris acris ſeu minor. *Park.* 856. *Water-Pepper, or Arſmart.* In aquoſis paſſim. Julio floret.

PETASITES. *Ger. Em.* 814. major & vulgaris. *C. B. Pin.* 197. *Butter-Bur, or Peſtilent-Wort.* Ad fluviorum ripas & in aquoſis. *By the River's Side near* Harefield-Mill *abundantly.* Martio floret.

PHYLLITIS, *Ger. Em.* 1138. Lingua cervina Officinarum. *C. B. Pin.* 353. *Hart's-Tongue.* In locis umbroſis & muris antiquis.

PILOSELLA REPENS. *Ger. Em.* 638. major repens hirſuta. *C. B. Pin.* 262. *Common creeping Mouſe-Ear.* In paſcuis ſiccioribus & in muris frequens. Maio floret.

PILO-

PILOSELLA SILIQUOSA THALII. *Raii Syn. Ed.* III. 294. Burſæ Paſtoris ſimilis ſiliquoſa major & minor. *C. B. Pin.* 108. *Codded Mouſe-Ear.* In paſcuis ſiccioribus & muris paſſim. Primo vere floret.

PIMPINELLA SEPTIMA SEU SANGUISORBA MINOR HIRSUTA, ET OCTAVA SEU MINOR LÆVIS. *C. B. Pin.* 160. hortenſis. *Ger. Em.* 1045. *Small Burnet* In montoſis ſolo præſertim cretaceo. *In* Harefield Chalk-Pit, *and in the Beech Woods in the Road to* Chalfont St. Peter's *plentifully.* Junio floret.

PIMPINELLA SAXIFRAGA MINOR FOLIIS SANGUISOBRÆ. *Raii Syn. Ed.* III. 213. ſaxifraga major altera. *C. B. Pin.* 159. *The leſſer round-leav'd Burnet Saxifrage.* In paſcuis frequens ſolo præſertim ſicco aut glareoſo. Julio & Auguſto floret.

PLANTAGO AQUATICA MAJOR. *Ger. Em.* 417. aquatica latifolia. *C. B. Pin.* 190. *Great Water-Plantain.* In aquoſis paſſim. Junio & Julio floret.

PLANTAGO AQUATICA HUMILIS. *Ger Em.* 417. aquatica Anguſtifolia. *C. B. Pin.* 190. *The leſſer Water-Plantain.* Cum priore ſed minùs frequens. *On the Banks of the upper Pond near Mr.* Aſhby's *Brick-Kiln plentifully.* Julio floret.

PLANTAGO AQUATICA MINIMA CLUSII. *Park.* 1244. Plantaginella paluſtris. *C. B. Pin.* 190. Alſine paluſtris repens, foliis lanceolatis, floribus albis perexiguis. *Pluk. Phyt. Tab.* 74. *f.* 4. *The leaſt Water-Plantain. By the Sides of the* Warren-Pond *near* Breakſpears *plentifully, and in the Bogs on* Harefield-Common. Julio floret.

PLANTAGO PALUSTRIS GRAMINEO FOLIO MONANTHOS, PARISIENSIS. *Inſt. R. H.* 128. Gramen junceum ſive Holoſteum minimum paluſtre, capitulis quatuor longiſſimis ſtaminibus donatis. *Raii Syn. Ed.* II. 276. 8. *In ſome of the Bogs on* Harefield-Common *abundantly.*

PLANTAGO INCANA, *Ger. Em.* 419. latifolia incana. *C. B. Pin.* 189. *Hoary Plantain, or Lamb's-Tongue.* In pratis humidi

humidis propè *Harefield* abundat. Junio floret.

PLANTAGO LATIFOLIA VULGARIS. *Park.* 493. latifolia sinuata. *C. B. Pin.* 189. *Great Plantain, or Way-bread.* Ad vias & semitas ubique. Junio floret.

PLANTAGO QUINQUENERVIA. *Ger. Em.* 422. angustifolia major. *C. B. Pin.* 189. *Rib-wort.* In pascuis passim & copiosè. Æstate floret.

PLANTAGO FOLIIS LACINIATIS, CORONOPUS DICTA. *Raii Syn. Ed.* III. 315. Coronopus sylvestris hirsutior. *C. B. Pin.* 190. *Buck's-horn Plantain. On* Uxbridge Common *plentifully.* Julio floret.

POLYGALA REPENS. *Ger. Em.* 563. vulgaris. *C. B. Pin.* 215. *Milk-wort.* In pascuis siccioribus frequens. Maio floret.

POLYGONUM SELINOIDES SIVE KNAWEL GERMANORUM. *Ger. Em.* 566. angustissimo & acuto vel gramineo folio minus repens. *C. B. Pin.* 281. *German Knot-grass, or Knawel.* In pascuis sterilioribus & arenosis frequens. Maio floret.

POLYGONUM MAS VULGARE. *Ger. Em.* 565. latifolium. *C. B. Pin.* 281. *Common Knot-graſs.* Ad vias & ſemitas paſſim. Per totam ferè æſtatem floret.

POLYPODIUM. *Ger. Em.* 1132. vulgare. *C. B. Pin.* 359. *Polypody.* In muris & tectis, & ad arborum truncos præſertim locis umbroſis frequens. Quercinum reliquis in medicinâ præfertur, & circa *Harefield* copioſè reperitur.

POPULUS LYBICA. *Ger. Em.* 1487. tremula. *C. B. Pin.* 429. *The Aſp, or Aſpen-Tree.* In ſylvis haud infrequens.

POPULUS NIGRA. *Ger. Em.* 1486. *C. B. Pin.* 429. *The Black Poplar.* Ad fluvios & in aquoſis.

POTAMOGITON LATIFOLIUM. *Ger. Em.* 821. rotundifolium. *C. B. Pin.* 193. *Broad-leav'd Pondweed.* In aquis ſtagnantibus paſſim. Junio floret.

POTAMOGITON PERFOLIATUM. *Raii Cat. Angl.* 241. foliis latis ſplendentibus. *C. B. Pin.* 193. *Perfoliate Pondweed.* In rivulis frequens.

POTA-

POTAMOGITON PENNIS TENUISSIMIS. *Pet. H. B.* 6. 6. Millefolium aquaticum pennatum minus, foliolis ſingularibus latiuſculis floſculis ſubjectis donatum. *H. Ox.* III. 622. *The leſſer-feather'd Water Milfoil. In a Gravel-Pit in a Field called* Innins, *joining to* Harefield-Common. Maio floret.

PRIMULA VERIS MAJOR. *Ger. Em.* 780. Verbaſculum pratenſe odoratum. *C. B. Pin.* 241. *Paigles, or Cowſlips.* In paſcuis ubique. Aprili & Maio floret.

PRIMULA PRATENSIS INODORA LUTEA. *Ger. Em.* 780. Verbaſculum pratenſe vel ſylvaticum inodorum. *C. B. Pin.* 241. *Great Cowſlips, or Oxſlips.* In ſylvis & ad ſepes ſæpiùs occurrit. Circa mediam Aprilis florere incipit.

PRIMULA VERIS MINOR *Ger. Em.* 781. Verbaſculum ſylvaticum majus ſingulari flore. *C. B. Pin.* 241. *The common Primroſe.* In ſylvis & ad ſepes paſſim. Februario & Martio floret.

PRU-

PRUNELLA. *Ger. Em.* 632. Brunella major folio non diſſecto. *C. B. Pin.* 260. *Common Self-heal.* In paſcuis paſſim. Julio floret. Invenitur flore albo ſed rariùs.

PRUNUS SYLVESTRIS. *Ger. Em.* 1497. *C. B. Pin.* 444. *The Sloe-Tree.* In ſepibus paſſim. Februario & Martio floret.

PTARMICA. *Ger. Em.* 606. Dracunculus pratenſis ſerrato folio. *C. B. Pin.* 98. *Sneeze-wort, or Baſtard Pellitory.* In paluſtribus frequens. Julio floret.

PULEGIUM REGIUM. *Ger. Em.* 671. latifolium. *C. B. Pin.* 222. *Penny-royal, or Pudding-Graſs. On* Harefield-Common *abundantly.* Julio & Auguſto floret.

PYRUS SYLVESTRIS. *Ger. Em.* 1459. *C. B. Pin.* 439. *The wild Pear-Tree.* In ſepibus frequens. Aprili floret.

Q.

QUERCUS VULGARIS. *Ger. Em.* 1339. cum longo pediculo. *C. B. Pin.* 420. *The common Oak-Tree.* In ſylvis & ſepibus paſſim. Vere floret. R.

R.

RADIX CAVA MINIMA FLORE VIRIDI. *Ger. Em.* 1091. Ranunculus nemoroſus Muſcatellina dictus. *C. B. Pin.* 178. *Tuberous Moſcatell. In the* Old-Park Wood *and many other Places near* Harefield *abundantly.* Martio & Aprili floret.

RANUNCULUS AQUATILIS. *Ger. Em.* 829. aquaticus folio rotundo & capillaceo. *C. B. Pin.* 180. *Water Crow-foot with various Leaves.* In aquoſis paſſim. Aprili floret.

RANUNCULUS AQUATICUS ALBUS, CIRCINATIS TENUISSIME DIVISIS FOLIIS, FLORIBUS EX ALIS LONGIS PEDICULIS INNIXIS. *Plukenet. Phyt. Tab.* 55. *f.* 2. *In a Bog on* Uxbridge-Moor *plentifully.* Maio floret.

RANUNCULUS HEDERACEUS AQUATICUS. *Park.* 1216. Ranunculi aquatilis varietas altera. *Ger. Em.* 830. *Ivy-leav'd Water Crowfoot.* In foſſis & aquis vadoſis haud infrequens. Maio floret.

RANUN-

RANUNCULUS ARVENSIS ECHINATUS. *C. B. Pin.* 179. arvorum. *Ger. Em.* 951. *Corn Crowfoot.* Inter ſegetes paſſim. Maio floret.

RANUNCULUS FLAMMEUS MAJOR. *Ger. Em.* 961. longifolius paluſtris major. *C. B. Pin.* 180. *Great Spear-wort. In the Bogs on* Iver-Heath. Maio floret.

RANUNCULUS FLAMMEUS MINOR. *Ger. Em.* 961. longifolius paluſtris minor. *The leſſer Spear-wort. In the Ditches on* Harefield-Common *plentifully.* Maio floret.

RANUNCULUS NEMOROSUS VEL SYLVATICUS FOLIO ROTUNDO. *C. B. Pin.* 178. auricomus. *Ger. Em.* 954. *Sweet Wood-Crowfoot, or Goldilocks.* In pratis & paſcuis paſſim. Aprili floret.

RANUNCLUS HIRSUTUS ANNUUS FLORE MINIMO. *Raii Cat. Angl.* 250. hirſutus annuus, folio Geranii Columbini, *Merr. Pin.* 102. *Field Crowfoot with a very ſmall Flower. In ſeveral Places near* Harefield *plentifully.* Maio floret.

RANUN-

RANUNCULO AQUATILI ALBO AFFINE MILLEFOLIUM MARATRIPHYLLON FLUITANS. *Chabr.* 564. Millefolium aquaticum foliis Fœniculi, Ranunculi flore & capitulo. *C. B. Pin.* 141. *Fennel-leav'd Water-Crowfoot. In* Harefield-River *abundantly.* Maio floret.

RANUNCULUS PALUSTRIS ROTUNDIFOLIUS. *Ger. Em.* 962. paluſtris Apii folio lævis. *C. B. Pin.* 180. *Round-leav'd Water-Crowfoot.* In paluſtribus & aquoſis copioſè. Maio floret.

RANUNCULUS PRATENSIS REPENS. *Park.* 329. pratenſis repens hirſutus. *C. B. Pin.* 179. *Common creeping Crowfoot, or Butter-Cups.* In paſcuis præſertim humidioribus. Maio floret.

RANUNCULUS PRATENSIS RADICE VERTICILLI MODO ROTUNDA. *C. B. Pin.* 179. bulboſus. *Park.* 329. *Bulbous Crowfoot.* In paſcuis paſſim. Maio floret.

RANUNCULUS PRATENSIS ERECTUS ACRIS. *C. B. Pin.* 178. ſurrectis caulibus.

culis. *Ger. Em.* 951. *Upright Meadow Crowfoot.* In pratis & pascuis satis frequens. Maio floret.

RAPISTRUM ALBUM ARTICULATUM. *Park.* 863. flore albo, siliquâ articulatâ. *C. B. Pin.* 95. *White-flower'd Charlock with a jointed Cod.* Inter segetes passim. Junio floret.

RAPISTRUM ARVORUM. *Ger. Em.* 233. flore luteo. *C. B. Pin.* 95. *Charlock, or wild Mustard.* Segetum pestis est, Aprili & Maio florens.

RAPUNCULUS SCABIOSÆ CAPITULO CÆRULÆO. *C. B. Pin.* 92. Scabiosa minima hirsuta. *Ger. Em.* 723. *Hairy Sheep's Scabious, or Rampions with Scabious Heads.* In sterilioribus & arenosis non tamen admodùm frequens. *In a Lane leading from* Denham *to* Iver-Heath. Junio floret.

RHAMNUS CATHARTICUS. *C. B. Pin.* 478. solutivus. *Ger. Em.* 1337. *Buckthorn, or Purging-thorn. In some Places near* Harefield *sparingly; in the Hedges between* Uxbridge *and* Beaconsfield *plentifully.* Maio floret.

RIBES

Ribes Fructu Nigro. *Ger. Em.* 1593. Groſſularia non ſpinoſa fructu nigro. *C. B. Pin.* 455. *Black Currants, or Squinancy-Berries. In a Meadow near the* Warren-Pond *at* Breakſpears *plentifully.* Maio floret.

Ros Solis Folio Rotundo. *C. B. Pin.* 357. *Ger. Em.* 1557. *Round-leav'd Sun-Dew, or Roſa-Solis. At* Battle's-Well *near* Harefield, *and on* Iver-Heath *plentifully.* Junio floret.

Rosa Pimpinellæ Folio. *Ger. Em.* 1270. campeſtris ſpinoſiſſima flore albo odoro. *C. B. Pin.* 483. *The Burnet Roſe.* In arenoſis, *as in* Tuddington-Field *abundantly.* Junio floret.

Rosa Canina Inodora. *Ger. Em.* 1270. ſylveſtris vulgaris flore odorato incarnato. *C. B. Pin.* 483. *The Dog's-Roſe, or Hep-Tree.* In ſepibus ubique. Maio floret.

Rosa Sylvestris Odora. *Ger. Em.* 1270. ſylveſtris foliis odoratis. *C. B. Pin.* 483. *The Sweet-Briar, or Eglantine.* Cum priore

priore ſparſim invenitur variis locis. Maio floret.

Rubeola Arvensis Repens Cærulea. *C. B. Pin.* 334. *Prodr.* 145. 5. minor pratenſis cærulea. *Park* 276. *Little Field-Madder.* Inter ſegetes & in arvis requietis frequentiſſimè reperitur. Maio & Junio floret.

Rubus Repens Fructu Cæsio. *Ger. Em.* 1271. *C. B. Pin.* 479, *The Dew-berry Buſh, or ſmall Bramble.* Inter ſegetes & in locis humidis frequens. Maio & Junio floret.

Rubus Idæus. *Ger. Em.* 1272. Idæus ſpinoſus. *C. B. Pin.* 479. *The Raſp-berry Buſh. In a Lane near Mr.* Auſtin's *Farm on* Harefield-Moor. Maio floret.

Ruscus. *C. B. Pin.* 470. Ruſcus ſive Bruſcus. *Ger. Em.* 907. *Knee-holme, or Butcher's-Broom. In the little Grove near* Breakſpears, *and ſome Woods near* Bacher-Heath *ſparingly.* Januario floret.

S.

S.

SAGITTA AQUATICA MAJOR. *C. B. Pin.* 194. Sagittaria major. *Ger. Em.* 416. *Great Arrow-head.* In aquoſis paſſim. Maio & Junio floret.

SAGITTA AQUATICA MINOR ANGUSTIFOLIA. *C. B. Pin.* 194. Sagittaria minor. *Ger. Em.* 416. *Small Arrow-head.* Cum priore.

SALIX PUMILA LINIFOLIA INCANA. *C. B. Pin.* 474. Chamæitea ſive Salix pumila. *Ger. Em.* 1391. *Common creeping Dwarf Willow. On* Harefield-Common *plentifully.* Vere Julos profert.

SALIX FOLIO LAUREO, SEU LATO GLABRO ODORATO. *Merr. Pin.* 108. *Raii Syn. Ed.* III. 449. 12. *Bay-leav'd ſweet Willow. Amongſt the Willows near Mr.* Aſhby's *Brick-kiln at* Harefield.

SALVIA AGRESTIS SIVE SCORODONIA. *Ger. Em.* 662. Scordium alterum ſive Salvia agreſtis. *C. B. Pin.* 247. *Wood-Sage.* In ſylvis & ad ſepes paſſim. Junio floret.

SAMBUCUS. *Ger. Em.* 1422. fructu in umbellâ nigro. *C. B. Pin.* 456. *The Common Elder.* In ſepibus frequens. Maio florēt. Invenitur fructu albo ſed rariùs.

SAMBUCUS AQUATILIS SIVE PALUSTRIS. *Ger. Em.* 1424. aquatica flore ſimplici. *C. B. Pin.* 456. *Marſh, or Water Elder.* In paluſtribus paſſim. Maio & Junio floret.

SANICULA SIVE DIAPENSIA. *Ger. Em.* 948. Sanicula Officinarum. *C. B. Pin.* 319. *Sanicle.* In ſylvis paſſim. Aprili & Maio floret.

SAPONARIA. *Ger. Em.* 444. major lævis. *C. B. Pin.* 206. *Soap-wort, or Bruiſe-wort. In a Hedge near* Uxbridge Church-Yard *plentifully.* Julio & Auguſto floret.

SAXIFRAGA ALBA. *Ger. Em.* 841. rotundifolia alba. *C. B. Pin.* 309. *White Saxifrage. In a moiſt Meadow near* Moor-Hall, *alſo about* Rickmanſworth *plentifully.* Maio floret.

SAXI-

SAXIFRAGA ANGLICA FACIE SESELI PRATENSIS. *Ger. Em.* 1047. Seſeli pratenſis noſtras. *Park.* 905. *Meadow Saxifrage.* In paſcuis paſſim. Julio floret.

SAXIFRAGA ANGLICA ALSINEFOLIA. *Ger. Em.* 567. puſilla graminea, flore parvo herbido & muſcoſo. *Merr. Pin.* 109. *Pearl-wort, or Chickweed Breakſtone.* In uliginoſis & umbroſis hortorum ambulacris frequens. Æſtate floret.

SCABIOSA PRATENSIS HIRSUTA, QUÆ OFFICINARUM. *C. B. Pin.* 269. major vulgaris. *Ger. Em.* 719. *Common Field Scabious.* In paſcuis & inter ſegetes. Junio floret.

SCABIOSA RADICE SUCCISA, FLORE GLOBOSO. *Raii Syn. Ed.* III. 191. Morſus Diaboli. *Ger. Em.* 726. *Devil's-Bit.* In pratis & paſcuis haud infrequens. Autumno floret.

SCIRPUS MONTANUS CAPITULO BREVIORI. *Inſt. R. H.* 528. *J. Scheuchz. Agroſt.* 363. *T.* 7. *f.* 18. Juncus parvus paluſtris, cum parvis capitulis Equiſeti. *Raii Syn. Ed.* II. 274. 15. *Dwarf Marſh*

Ruſh with ſmall Aglet Heads. *On* Hare-field-Moor *plentifully.*

SCROPHULARIA AQUATICA MAJOR. *C. B. Pin.* 235. Betonica aquatica. *Ger. Em.* 715. *Water Figwort.* In paluſtribus & ad rivos paſſim. Julio & Auguſto floret.

SCROPHULARIA MAJOR. *Ger. Em.* 716. nodoſa fœtida. *C. B. Pin.* 235. *Common knobby-rooted Figwort.* In ſylvis & ſepibus. Julio floret.

SEDUM MINUS HÆMATOIDES. *Ger. Em.* 512. minus luteum folio acuto. *C. B. Pin.* 283. *The moſt ordinary yellow Prickmadam, or Stone-crop.* In muris & tectis. Æſtate floret.

SEDUM SEU SEMPERVIVUM MINUS VERMICULATUM ACRE. *C. B. Pin.* 283. Vermicularis, ſive Illecebra minor acris. *Ger. Em.* 517. *Wall-Pepper, or Stone-crop.* Cum priore, nec minùs frequens. Junio & Julio floret.

SERPYLLUM VULGARE. *Ger. Em.* 570. vulgare minus. *C. B. Pin.* 220. *Mother*

Mother of Thyme. In paſcuis ſiccioribus & montoſis paſſim. Junio floret.

SERPYLLUM VULGARE HIRSUTUM. *Raii Syn. Ed.* III. 231. 6. *Hoary wild Thyme. On* Oliver's-Mount *in* Uxbridge Moor *plentifully.* Maio & Junio floret.

SERRATULA. *C. B. Pin.* 235. purpurea. *Ger. Em.* 713. *Saw-wort.* In ſylvis frequens. Auguſto floret. Variat flore albo.

SIDERITIS ANGLICA STRUMOSA RADICE. *Park.* 587. Panax Coloni. *Ger. Em.* 1005. *Clown's All-heal.* In aquoſis copioſè. Julio floret.

SIDERITIS HUMILIS LATO OBTUSO FOLIO. *Ger. Em.* 699. Sideritis Alſines Triſſaginis folio. *Park.* 586. *Small Iron-wort.* Inter ſegetes. Julio floret.

SIDERITIS ARVENSIS RUBRA. *Park.* 587. arvenſis anguſtifolia rubra. *C. B. Pin.* 233. *Narrow-leav'd All-heal, or Iron-wort.* Inter ſegetes paſſim & copioſè. Julio & Auguſto floret.

SIUM ARVENSE SIVE SEGETUM. *Inſt. R. H.* 308. Selinum Sii foliis. *Ger.*

Em. 1018. *Hone-wort, or Corn Parſley. By the Road's Side near* Eaton *ſparingly.* Julio floret.

SIUM AROMATICUM SISON. *Inſt. R. H.* 308. Petroſelinum Macedonicum Fuchſii. *Ger. Em.* 1016. *Baſtard Stone Parſley.* Ad ſepes & in aggeribus foſſarum frequens. Julio floret.

SIUM MAJUS ANGUSTIFOLIUM. *Ger. Em.* 256. Sium erectis foliis ſerratis D. Doody. *Raii Syn. Ed.* III. 211. *Common upright Water-Parſnep.* Ad fluviorum ripas frequens. Julio floret.

SIUM UMBELLATUM REPENS. *Ger. Em.* 256. umbellis ad caulium nodos. *Merr. Pin.* 114. *Creeping Water-Parſnep.* In rivulis & aquoſis paſſim. Æſtate floret.

SIUM MINIMUM UMBELLATUM FOLIIS VARIIS. *Plukenet. Phyt. T.* 61. minimum. *Raii Hiſt.* 444. *The leaſt Water-Parſnep. In the Bogs on* Harefield-Common *plentifully.* Maio floret.

SOLANUM HORTENSE. *Ger. Em.* 339. bacciferum primum ſeu Officinarum. *C. B.*

B. Pin. 166. *Common Nightſhade.* In fimetis & locis ruderatis. Auguſto floret.

SOLANUM LIGNOSUM SIVE DULCAMARA. *Park.* 350. ſcandens ſeu Dulcamara. *C. B. Pin.* 167. *Woody Nightſhade, or Bitter-ſweet.* In aquoſis frequentiſſimè occurrit. Junio floret. Variat flore albo.

SOLANUM LETHALE. *Ger. Em.* 340. melanoceraſos. *C. B. Pin.* 166. *Deadly Nightſhade, or Dwale. In a ſhady Gravel Pit near the* Old Park, *and in the Gardens at* Moor-Park *plentifully.* Maio floret.

SONCHUS LÆVIS MURALIS. *Ger. Em.* 293. lævis laciniatus muralis parvis floribus. *C. B. Pin.* 124. *Ivy-leav'd Sow-thiſtle, or wild Lettuce. In the Lane going from* Harefield *to* Riſlip *abundantly.* Julio floret.

SONCHUS ARBORESCENS. *Ger. Em.* 294. Hieracium majus folio Sonchi, vel Hieracium Sonchites. *C. B. Pin.* 126. *Tree Sow-thiſtle.* Inter ſegetes frequens. Julio floret.

SORBUS

SORBUS ALPINA. *Chabr.* 2. Aria Theophrasti. *Ger. Em.* 1327. *The White Beam-Tree. On* Uxbridge-Common *and in* Harefield Chalk-Pit. Maio floret.

SORBUS TORMINALIS. *Ger. Em.* 1471. Mespilus Apii folio sylvestris non spinosa, seu Sorbus torminalis. *C. B. Pin.* 454. *The common wild Service-Tree, or Sorb.* In sylvis & sepibus. Martio floret.

SPARGANIUM RAMOSUM. *Ger. Em.* 45. *C. B. Pin.* 15. *Branch'd Bur-reed.* In aquosis ubique. Julio floret.

SPARGANIUM NON RAMOSUM. *C. B. Pin.* 15. latifolium. *Ger. Em.* 45. *Bur-reed not branch'd.* Cum priore.

SPECULUM VENERIS MINUS. *Ger. Em.* 439. *Park.* 1331. *The lesser Venus Looking-glass, or codded Corn-Violet.* Inter segetes sed rariùs. *I found it this Year* (1735) *in a Corn Field adjoining to* Harefield Chalk-Pit *plentifully, but not elsewhere.* Junio floret.

SPHON-

SPHONDYLIUM VULGARE. *Ger. Em.* 1009. hirſutum. *C. B. Pin.* 157. *Cow-Parſnep.* In pratis & paſcuis paſſim. Junio & Julio floret.

SPHONDYLIUM MONTANUM MINUS ANGUSTIFOLIUM, TENUITER LACINIATUM. *Pluk. Phyt. Tab.* 63. Sphondylium hirſutum foliis anguſtioribus. *C. B. Pin.* 157. *Prodr.* 83. *Jagged Cow-Parſnep. In ſeveral Places near* Harefield. Æſtate floret.

STELLARIA AQUATICA. *Park.* 1258. *C. B. Pin.* 141. *Water-Star-wort.* In foſſis & aquoſis ubique. Vere floret.

T.

TANACETUM. *Ger. Em.* 650. vulgare luteum. *C. B. Pin.* 132. *Common Tanſy. In a Meadow near* Harefield Church. Julio & Auguſto floret.

TELEPHIUM VULGARE. *C. B. Pin.* 287. Craſſula ſive Faba inverſa. *Ger. Em.* 518. *Orpine, or Live-long.* In umbroſis

sis & nonnunquam inter segetes. Julio & Augusto floret.

THALICTRUM SIVE THALIETRUM MAJUS. *Ger. Em.* 1251. majus siliquâ angulosâ aut striatâ. *C. B. Pin.* 336. *Meadow-Rue.* In palustribus & pratis humidis frequens. Junio floret.

THLASPI VULGATISSIMUM. *Ger. Em.* 262. arvense, Vaccariæ folio incano majus. *C. B. Pin.* 106. *Mithridate Mustard.* Inter segetes non rarò invenitur. Junio & Julio floret.

TITHYMALUS CHARACIAS AMYGDALOIDES. *Ger. Em.* 500. *C. B. Pin.* 290. *Wood-Spurge.* In sylvis passim & copiosè. Aprili floret.

TITHYMALUS PLATYPHYLLOS FUCHSII. *Chabr.* 533. arvensis latifolius Germanicus. *C. B. Pin.* 291. *Broad-leav'd Spurge. In the Corn Fields leading from* Harefield-Common *to* Battle's-Well *plentifully.* Junio floret.

TITHYMALUS SEU ESULA EXIGUA. *C. B. Pin.* 291. Esula exigua Tragi. *Ger. Em.*

Em. 503. *Dwarf Spurge, or ſmall annual Spurge.* Inter ſegetes plurimis in locis circa *Harefield* reperitur. Julio floret.

TITHYMALUS HELIOSCOPIUS. *Ger. Em.* 498. *C. B. Pin.* 291. *Sun-Spurge, or Wart-wort.* In hortis & inter ſata copioſè. Julio floret.

TITHYMALUS PARVUS ANNUUS, FOLIIS SUBROTUNDIS NON CRENATIS, PEPLUS DICTUS. *Raii Syn. Ed.* III. 313. 9. Peplus ſive Eſula rotunda. *C. B. Pin.* 292. *Petty-Spurge.* Cum priore.

TORMENTILLA. *Ger Em.* 992. ſylveſtris. *C. B. Pin.* 326. *Tormentil, or Septfoil.* In ſylvis paſſim. Maio & Junio floret.

TRACHELIUM MAJUS. *Ger. Em.* 448. Campanula vulgatior foliis Urticæ, vel major & aſperior. *C. B. Pin.* 94. *Great Throat-wort, or Canterbury Bells.* In ſylvis, *as in the* Old-Park-Wood *near* Harefield *abundantly.* Julio & Auguſto floret.

TRACHELIUM MINUS. *Ger. Em.* 449. Campanula pratenſis flore conglomerato.

C.

C. B. Pin. 94. *Little Throat-wort, or Canterbury Bells.* In montoſis cretaceis ſed rariùs. *In the* Chalk-Pit *near the Duke of* Portland's *at* Gerard's-Croſs. Julio floret.

TRAGOPOGON LUTEUM. *Ger. Em.* 735. pratenſe luteum majus. *C. B. Pin.* 274. *Yellow Goat's-beard.* In pratis & paſcuis ſatis frequens. Junio floret.

TRIBULUS AQUATICUS MINOR MUSCATELLÆ FLORIBUS. *Ger. Em.* 823. Potamogiton foliis criſpis ſeu Lactuca ranarum. *C. B. Pin* 193. *The leſſer Water-Caltrops, or Frog's-Lettuce.* In fluviis paſſim. Junio floret.

TRIBULUS AQUATICUS MINOR QUERCÛS FLORIBUS. *Ger. Em.* 824. aquaticus minor prior. *Park.* 1248. *The greater Water Caltrops.* In aquis ſtagnantibus & fluviis pigrioribus frequens. Æſtate floret.

TRICHOMANES MAS. *Ger. Em.* 1146. Trichomanes ſive Polytrichum Officinarum. *C. B. Pin.* 356. *Engliſh Black Maiden hair.*

hair. In the Orchard at Harefield-Place *plentifully, also about* Breakspears.

TRIFOLIUM ACETOSUM VULGARE. *C. B. Pin.* 330. Oxys alba. *Ger. Emac.* 1201. *Wood-sorrel.* In sylvis passim. Martio & Aprili floret.

TRIFOLIUM COCHLEATUM FOLIO CORDATO MACULATO, *C. B. Pin* 329. cordatum. *Ger. Em.* 1190. *Heart Trefoil, or Claver.* In pascuis siccioribus & arenosis. *On* Uxbridge-Common *plentifully, and in other Places.* Junio floret.

TRIFOLIUM FRAGIFERUM. *Ger. Em.* 1208. fragiferum Frisicum. *Park.* 1109. *Strawberry Trefoil.* In pascuis solo præsertim humido aut lutoso. Julio floret.

TRIFOLIUM LUTEUM LUPINUM. *Ger. Em.* 1186. pratense luteum capitulo Lupuli vel agrarium. *C. B. Pin.* 328. *Hop Trefoil.* Inter segetes frequens. Junio floret.

TRIFOLIUM LUTEUM MINIMUM. *Ger. Em.* 1186. pratense luteum capitulo

breviore. *C. B. Pin.* 328. *Melilot Trefoil.* In sterilioribus ubique frequens. Maio & Junio floret.

TRIFOLIUM ARVENSE HUMILE SPICATUM SEU LAGOPUS. *C. B. Pin.* 328. Lagopus vulgaris. *Park.* 1107. *Hare's-foot, or Hare's-foot Trefoil.* Inter segetes. Autumno floret.

TRIFOLIUM LUPULINUM MINIMUM. *Inst. R. H.* 404. *The least Hop Trefoil. On* Harefield-Common *plentifully.* Maio & Junio floret.

TRIFOLIUM PRATENSE ALBUM. *C. B. Pin.* 327. minus pratense flore albo sive secundum. *Ger. Em.* 1185. *White-flower'd Meadow Trefoil.* In pascuis ubique. Maio floret.

TRIFOLIUM PRATENSE. *Ger. Em.* 1185. purpureum. *C. B. Pin.* 327. *Purple Meadow Trefoil.* In pratis & pascuis passim. Maio & Junio floret.

TRIFOLIUM PUMILUM SUPINUM FLOSCULIS LONGIS ALBIS. *P. B. Raii Syn. Ed.* III. 327. 2. *Dwarf Trefoil with long white Flowers. On* Harefield *and* Uxbridge

Uxbridge-Commons *plentifully.* Maio floret.

TRIFOLIUM PARVUM HIRSUTUM, FLORIBUS PARVIS DILUTE PURPUREIS, IN GLOMERULIS MOLLIORIBUS ET OBLONGIS, SEMINE MAGNO. *Raii Syn. Ed.* III. 329. 9. *Knotted Trefoil with ſofter Heads and large Seed.* *On* Oliver's Mount *on* Uxbridge-Moor *plentifully.* Junio floret.

TRIFOLIUM SILIQUOSUM MINUS *Ger. Em.* 1190. Lotus ſeu Melilotus Pentaphyllos minor glabra. *C. B. Pin.* 332. *Bird's-foot Trefoil.* In paſcuis paſſim. Maio & Junio floret.

TRIFOLII SILIQUOSI VARIETAS MAJOR. *Ger. Em.* 1190. Lotus pentaphyllos flore majore luteo ſplendente. *C. B. Pin.* 332. *The greater Bird's-foot Trefoil.* In paſcuis & ad ſepes locis humidis haud infrequens. Seriùs quam præcedens floret.

TRIFOLIUM PALUSTRE. *C. B. Pin.* 327. paludoſum. *Ger. Em.* 1194. *Marſh*

Trefoil, or Bog-beans. On Harefield-Moor *in ſeveral Places.* Maio floret.

TUSSILAGO. *Ger. Em.* 811. vulgaris. *C. B. Pin.* 197. *Colt's-foot.* In locis humidis frequentiſſimè. Martio floret.

TYPHA PALUSTRIS MAJOR. *C. B. Pin.* 20. maxima. *Park.* 1204. *Cat's-Tail, or Reed-Mace.* In aquis ſtagnantibus & piſcinis majoribus frequens. Auguſto floret.

V.

VACCINIA NIGRA. *Ger. Em.* 1415. Vitis Idæa foliis oblongis crenatis fructu nigricante. *C. B. Pin.* 470. *Black Whorts, or Whortle-berries. On* Iver-Heath. Aprili floret.

VALERIANA SYLVESTRIS MAJOR. *Ger. Em.* 1075. *C. B. Pin.* 164. *Great wild, or Marſh Valerian.* In pratis humidis copioſè. Maio floret.

VALE-

VALERIANA MINOR. *Ger. Em.* 1075. paluſtris minor. *C. B. Pin.* 164. *Small wild, or Marſh Valerian.* Cum priore.

VALERIANA SYLVESTRIS VEL PALUSTRIS MINOR ALTERA. *Raii Cat. Angl.* 299. *The other ſmall wild, or Marſh Valerian. In all the moiſt Meadows near* Harefield *abundantly.* Eodem tempore floret.

VERBASCUM MAS LATIFOLIUM LUTEUM. *C. B. Pin.* 239. vulgare ſive Tapſus barbatus communis. *Park.* 60. *White Mullein, or High-taper, Cow's Lungwort.* Ad agrorum margines & in locis ruderatis. Julio floret.

VERBASCUM NIGRUM. *Ger. Em.* 775. nigrum flore parvo apicibus purpureis. *Chabr.* 494. *Common Black Mullein, or Sage-leav'd Mullein.* Ad margines agrorum ſed non ita frequens. Junio & Julio floret.

VERBENA COMMUNIS. *Ger. Em.* 718. communis flore cæruleo. *C. B. Pin.* 269. *Vervain.* In ſterilioribus & locis incultis paſſim. Julio & Auguſto floret.

VERONICA FLORIBUS SINGULARIBUS, IN OBLONGIS PEDICULIS, CHAMÆDRYFOLIA. *Raii Syn. Ed.* III. 279. 4. Alsine foliis Trissaginis. *Ger. Em.* 616. *Germander-Speedwell, or Chickweed.* In hortis locisque cultis per totam æstatem floret.

VERONICA CHAMÆDRYOIDES, FOLIIS PEDICULIS OBLONGIS INSIDENTIBUS. *Raii Syn. Ed.* II. 179. 12. Chamædryi spuriæ affinis rotundifolia scutellata. *C. B. Pin.* 249. *Wild Germander with Leaves standing on long Foot-stalks. In the* Grove-Wood *near* Breakspears. Maio floret.

VERONICA FLOSCULIS SINGULARIBUS, CAULICULIS ADHÆRENTIBUS. *Raii Syn. Ed.* III. 279. 5. Alsine foliis Veronicæ. *Ger. Em.* 613. *Speedwell Chickweed.* In muris & locis siccioribus. Vere & æstate floret.

VERONICA AQUATICA ROTUNDIFOLIA, BECABUNGA DICTA, MINOR. *Raii Syn. Ed.* III. 280. 8. Anagallis aquatica minor, folio subrotundo. *C. B. Pin.* 252.

252. *Common Brooklime.* In aquoſis paſſim. Maio & Junio floret.

VERONICA AQUATICA LONGIFOLIA MEDIA. *Raii, Ibid.* Anagallis aquatica minor, folio oblongo. *C. B. Pin.* 252. *The middle long-leav'd Water Speedwell, or Brooklime.* Cum priore.

VERONICA AQUATICA ANGUSTIFOLIA MINOR. *Raii Syn. Ed.* III. 280. 10. Anagallis aquatica anguſtifolia ſcutellata. *C. B. Pin.* 252. *Prodr.* 119. *Narrow-leav'd Water Speedwell, or Brooklime. In the Bogs on* Harefield-Common. Maio floret.

VERONICA CHAMÆDRYS SYLVESTRIS DICTA. *Raii, Ibid.* Chamædrys ſpuria minor rotundifolia. *C. B. Pin.* 249. *Wild Germander.* In paſcuis paſſim. Vere floret.

VERONICA MAS SUPINA ET VULGATISSIMA. *C. B. Pin.* 246. vera & major. *Ger. Em.* 626. *Male Speedwell, or Fluellin.* In Ericetis frequens. *On* Riſlip-Common *abundantly.* Maio floret.

VERO-

VERONICA PRATENSIS SERPYLLIFOLIA. *C. B. Pin.* 247. minor. *Ger. Em.* 627. *Little Fluellin, or Paul's-Betony.* In pratis & pascuis copiosè. Maio floret.

VIBURNUM. *C. B. Pin.* 429. Lantana sive Viburnum. *Ger. Em.* 1490. *The pliant Mealy-Tree, the Way-faring Tree.* In sepibus solo præsertim cretaceo frequens. Maio floret.

VICIA MAXIMA DUMETORUM. *Ger. Em.* 1227. *C. B. Pin.* 345. *Bush-Vetch.* In sepibus & dumetis passim. Maio floret.

VICIA SYLVESTRIS SIVE CRACCA MAJOR. *Ger. Em.* 1227. Vicia semine rotundo nigro. *C. B. Pin.* 345. *Strangle Tare, or wild Vetch.* Inter segetes & ad sepes. Maio floret.

VICIA SEGETUM CUM SILIQUIS PLURIMIS HIRSUTIS. *C. B. Pin.* 345. sylvestris sive Cracca minima. *Ger. Em.* 1228. *Small wild Tare, or Tine-Tare.* Inter segetes nimis frequens. Junio floret.

VICIA

VICIA SEGETUM SILIQUIS SINGULARIBUS GLABRIS. *C. B. Pin.* 345. *Tine-Tare with ſmooth Pods.* Inter ſegetes frequens. Junio floret.

VICIA MULTIFLORA. *C. B. Pin.* 345. multiflora ſive ſpicata. *Park.* 1072. *Tufted Vetches.* Ad ſepes frequens. Junio & Julio floret.

VIOLA BARBATA ANGUSTIFOLIA DALECHAMPII. *J. B. Raii Syn. Ed.* III. 337. 4. Caryophyllus ſylveſtris barbatus. *C. B. Pin.* 209. *Deptford Pink. I found it this Year* (1737) *by the Road's Side leading from* Harefield *to* Chalfont St. Peter's, *but very ſparingly.* Julio floret.

VIOLA MARTIA ALBA. *C. B. Pin.* 199. flore albo. *Ger. Em.* 850. *White ſweet-ſcented Violet.* Ad ſepes frequens. Martio floret.

VIOLA MARTIA PURPUREA. *Ger. Em.* 850. Martia purpurea flore ſimplici odoro. *C. B. Pin.* 199. *Purple March Violet.* Ad ſepes paſſim. Primo vere floret.

VIOLA

VIOLA CANINA SYLVESTRIS. *Ger. Em.* 851. Martia inodora ſylveſtris. *C. B. Pin.* 199. *Wild or Dog's-Violet.* In dumetis & ad ſepes ubique. Martio & Aprili floret.

VIOLA BICOLOR ARVENSIS. *C. B. Pin.* 200. tricolor ſylveſtris. *Ger. Em.* 854. *Small wild Panſies, or Heart's-Eaſe.* Segetum peſtis eſt. Maio floret.

VIOLA CANINA MINOR D. DUBOIS. *Raii Syn. Ed.* III. 364. 5. *Small wild or Dog's-Violet. On* Harefield *and* Uxbridge Commons *plentifully.* Aprili & Maio floret.

VIOLA MARTIA HIRSUTA MAJOR INODORA D. PLOT. *Raii Syn. Ed.* III. 365. 8. foliis Trachelii ſerotinâ radice lignoſâ. *Merr. Pin.* 125. *Violet with Throat-wort Leaves. By the Sides of the* Old-Park-Wood, *and in* Harefield Chalk-Pit. Aprili floret.

VIOLA TRICOLOR. *Ger. Em.* 854. tricolor hortenſis repens. *C. B. Pin.* 199. *Panſies, or Heart's-Eaſe. In a Meadow near* Hampton-Court-Park. Junio floret.

VIORNA.

VIORNA. *Ger. Em.* 886. Clematitis ſylveſtris latifolia. *C. B. Pin.* 300. *Wild Climber, or Traveller's-Joy.* In ſepibus paſſim. Junio & Julio floret.

VIRGA AUREA. *Ger. Em.* 430. aurea vulgaris. *Park.* 542. *Golden Rod.* In ſylvis & locis montoſis frequens. Julio & Auguſto floret.

VISCUM. *Ger. Em.* 1350. baccis albis. *C. B. Pin.* 423. *Miſletoe.* Pleriſque arboribus innaſcitur. Quercinum reliquis in medicinâ præfertur, ſed rariſſimè reperitur.

ULMARIA VULGARIS. *Park.* 592. Barba capræ floribus compactis. *C. B. Pin.* 164. *Meadow-ſweet.* In paſcuis humidioribus & ad rivos paſſim. Junio & Julio floret.

ULMUS VULGATISSIMA FOLIO LATO SCABRO. *Ger. Em.* 1480. vulgaris. *Park.* 1404. *The Common Elm.* In ſepibus paſſim. Primo vere floret.

ULMUS

ULMUS FOLIO LATISSIMO SCABRO. *Ger. Em.* 1481. latiore folio. *Park.* 1404. *The Wych-Hasel, or broad-leav'd Elm.* In sepibus, sed non ita frequens. Aprili floret.

URTICA RACEMIFERA MAJOR PERENNIS. *Raii Syn. Ed.* III. 139. urens. *Ger. Em.* 706. *Common Stinging-Nettle.* Omnium ferè locorum pestis est. Julio floret.

URTICA RACEMIFERA MINOR ANNUA. *Raii Syn. Ed.* III. 140. urens minor. *C. B. Pin.* 232. *The lesser Stinging-Nettle.* Ad semitas & in locis ruderatis. Æstate floret.

FASCICULI *Finis.*

APPENDIX,

CONTAINING

Some SHORT NOTES

Relating to

HAREFIELD.

THE Pariſh of *Harefield* (uſually called *Harvill*, anciently *Heresfield*) lies in the Hundred of *Elthorn*, in the County of *Middleſex*, about ſeven Miles to the Northward, and ſixteen Miles to the Weſtward of *London*.

IT is ſituated on that Part of the River *Colne*, below the Place where the Waters

ters of *Chesham*, *Hempsted* and *St. Albans* are joined, and this River parts it Westward from *Denham* Parish in *Buckinghamshire*: To the Northward it is bounded by *Rickmansworth* Parish in *Hertfordshire*, and on the South, it adjoins to *Rislip* and *Ickenham* Parishes in *Middlesex*.

The Soil, within this Compass, is various; that of the South and East Parts being a strong Clay, very productive of Elm and Oak, which thrive well here. The North and West Parts, bordering on *Hertfordshire* and *Bucks*, is generally a dry Chalk and stony Land.

This Parish is in Circumference about sixteen Miles, and is, in great measure, surrounded with Woods, almost of all Sorts, and is perfectly well water'd; for, besides the River *Colne*, which runs at a small Distance from the Village, Springs are scarce any where more frequent.

This Place is particularly remarkable on the account of an extraordinary fine Spring call'd *Gulch-Well*, that arises at the Foot of a Chalk-hill, and produces, at

at its firſt Appearance, with a very ſtrong Current, a Body of Water, two Feet deep and four Feet broad.

SEVERAL Attempts have been formerly made, towards bringing the delicate Water of this Spring, to ſupply the Cities of *London* and *Weſtminſter*: But, as nothing of that kind has hitherto been effected, its Water only ſerves to furniſh the River *Colne*, already almoſt overcharg'd with Springs.

HAREFIELD is an ancient Village, being the Poſſeſſion of *Richard*, Son of Count *Giſelbert*, in *William* the Conqueror's Time, as *Camden* informs us; but, at preſent, in the Poſſeſſion of Sir *Roger Newdigate*, Bart. one of whoſe Anceſtors firſt obtain'd it, by marrying *Cecil*, Daughter of Sir *Robert Grene*, in the twelfth Year of King *Edward* the Fourth's Reign; as appears by an ancient Record now in the Tower of *London*.

THE Church here is built after the ancient *Gothick* Manner, and dedicated to St. *Peter*. It is well beautified within, and ſeveral curious Monuments are here erected

erected, to the Memory of the Anceſtors of the above-mention'd Family, as alſo the *Aſhby's*, who are, and have, for a long Courſe of Years, been Inhabitants of this Place.

HERE alſo *Alice*, Counteſs of *Derby*, erected ſix Alms-houſes for ſix poor Widows of this Pariſh, and allowed the Incumbent Five Pounds *per Annum*, to read Prayers twice a Week to them.

AS to Houſes of Note, there are only Four, *viz.* *Moor-Hall*, which (with its Appurtenances) is a Manor diſtinct from *Harefield*. *Breakſpears*, the Seat of the ancient Family of *Aſhby*. *Harefield-Place*, the Seat of the *Newdigates*, Lords of this Manor; and *Riſe*, the Seat of Sir *George Cooke*, Knt. The three firſt are ancient, the laſt of modern Date, but greatly improved by the preſent Poſſeſſor.

THE Inhabitants of this Place are chiefly employed in Huſbandry; and as to Manufactures, the Making of Paper (chiefly that Sort for printing News-Papers, and ſuch like) the Making of Earthen Veſſels, and Hay-makers Rakes, take up

up many Hands to conſiderable Advantage.

THE great Variety of the Soils here, produces almoſt all Sorts of Vegetables, which our Catalogue of ſuch Plants as grow ſpontaneouſly in this Neighbourhood, ſufficiently ſhews.

FOSSILS and form'd Stones, of various Sorts, are frequently found in theſe Parts, as a Sort of * *Pyrites*, which Dr. *Plot* calls *Crow-Iron*; being on the Outſide of a dark Colour, reſembling ruſty Iron, but within of a reſplendent golden Colour, which it ſoon loſes by being expoſed to the Air, or laid in a damp Place. A few Grains of this *Marcaſite* put into Water, where a ſmall Quantity of Galls had been ſteep'd, inſtantly chang'd it black as Ink, and gave it a remarkable Styptick Chalybeate Taſte.

HERE are likewiſe to be met with Shells of ſeveral Sorts, embodied in Chalk, and chiefly thoſe of the Bivalve Kind; as alſo the *Lapides Echinites*, and ſome-

* Plot's *Nat. Hiſt. of* Oxfordſhire, *p.* 71.

times

times the Species that *Mercatus* calls ‖ *Mespilus* or *Pentexoche*, as also the † *Lapis Multangulus* of the same Author, which was not long since found by some Labourers in the *Old-Chalk-Pit* near *Harefield-Mill*. This last consisted of twelve or fourteen irregular Angles, most of which were impressed with a Figure resembling the Spot of a Die. It was of a rusty iron Colour, on the Outside, and answer'd the Figure and Description of the aforesaid Author in most Particulars. Here are also found some Species of the *Cornu Ammonis*, but very rarely.

AMONG the Animals, there are none in this Place that are not common, unless a Breed of Cows and Oxen without Horns. These, tho' of late Date, are sufficiently plentiful, and are distinguished by the Name of the *Polled Breed* by the Inhabitants.

‖ Mercat. Metallotheca, *p.* 282. † Ibid. *p.* 374.